

The background of the page features a light gray grid pattern on the left side, which transitions into a white background on the right. The Seiko logo is prominently displayed in the center-right area.


SEIKO

DEDICATED TO PERFECTION

Premium Collection Watch Catalogue
2014-2015

SEIKO History.....	4
The SEIKO Website.....	6
About this Guide.....	7
Water Resistance Usage.....	8
Abbreviations.....	9
Sportura.....	10
Premier.....	13
Velatura.....	15
Prospex.....	17
Coutura.....	18
Le Grand Sport.....	20
Kinetic.....	23
Diver's.....	25
Solar Alarm Chronograph.....	26
Solar Chronograph.....	27
Quartz Alarm Chronograph.....	28
Quartz Chronograph Perpetual.....	28
Quartz Chronograph.....	29
Men's Solar Analogue 100m.....	31
Men's Solar Analogue Dress.....	34
Men's Automatic.....	35
Men's Quartz Analogue 100m.....	37
Ladies Solar Chronograph.....	39
Ladies Solar Analogue 100m.....	39
Ladies Solar Analogue 50m.....	40
Ladies Solar Analogue Dress.....	41
Ladies Quartz Analogue 100m.....	43
Ladies Quartz Analogue 50m.....	44
Ladies Quartz Analogue Dress.....	45
Stopwatches.....	47
Product Information Matrix.....	48
Product Information Matrix – Stopwatch.....	66
Seiko Kinetic.....	68
Seiko Solar.....	69
Operating Instructions.....	70
Contacts.....	90
Service Information.....	91
SEIKO Corporate.....	92
Index.....	93

SEIKO HISTORY



- 1881** K. Hattori, predecessor of today's Seiko Holdings Corporation, established.
- 1892** Seikosha clock supply factory established; production of wall clocks begins.
Seikosha builds the first pocket watch.
- 1913** Production of Laurel, the first wristwatch made in Japan begins.
- 1953** SEIKO sponsors Japan's first TV commercial.
- 1959** SEIKO commercializes quartz clocks for broadcasting use.
- 1964** SEIKO develops the portable quartz chronometer and Seiko serves as Official Timer for the "Games of the XVIII Olympiad" held in Tokyo.

- 1968** SEIKO achieves the highest ever score in the Geneva competition and is awarded the "best mechanical wrist chronometer".
- 1969** Introduction of cal. 6139, the world's first automatic chronograph watch equipped with both vertical clutch and column wheel.
Introduction of the world's first quartz watch, "SEIKO Quartz Astron" cal. 3500.
- 1982** Introduction of the world's first TV watch cal. T001.
- 1988** Introduction of the world's first "Auto Quartz" watch cal. 7M42. (later renamed as "Kinetic").
- 1992** Introduction of 1/100th analogue quartz chronograph watch cal. 7T59.



1999 Introduction of the world's first Spring Drive watch cal. 7R68 (hand winding).

Introduction of the Ultimate Kinetic Chronograph cal. 9T82.

2005 Introduction of the Kinetic Perpetual cal. 7D48.

Introduction of the Spring Drive cal. 5R series (automatic winding).

2006 Introduction of the world's first watch with electrophoresis display module cal. G510.

Introduction of the Credor Spring Drive Sonnerie cal. 7R06.

Suggested retail price: 15 million Japanese Yen.

2007 Introduction of the Kinetic Direct Drive cal. 5D44.

Introduction of the Spring Drive Chronograph cal. 5R86 equipped with both vertical clutch and column wheel.

2009 Introduction of the Chronograph Perpetual.

2010 World's first EPD watch with an active matrix system.

2011 SEIKO's 130th Anniversary

Served as Official Timer of the IAAF World Championships Daegu 2011.

2012 SEIKO introduces the world's first Solar Powered GPS watch that supports all internationally recognised timezones.

2013 100 years of SEIKO Wrist watches marked by a collection of Special Edition models.

2014 SEIKO introduces the world's first Solar GPS watch with a chronograph.

THE SEIKO WEBSITE

The SEIKO website is designed to provide customers, retailers and consumers with instant access to information about SEIKO. Log onto www.seiko.com.au and click the following links to find out all there is to know about the world's leading watch manufacturer.

Products – Learn more about the SEIKO Premium Collection or explore the entire SEIKO product range.

Support – Designed with retailers in mind, this section provides service information, instruction manuals you can download and 'frequently asked questions' to aid in trouble shooting, procedures for sending back repairs for prompt and efficient service.

About Us – Discover SEIKO's history from humble beginnings in 1881 and the rise that carried SEIKO to new heights and international renown. Learn about corporate structure, global networks and SEIKO's extensive involvement in sports timing.







Corporate – This section outlines specialised services that include the printing of company logos on the dial of a watch or clock, engraving and personalised messages, as well as customised packaging and more.

SEIKO will continue to grow and evolve and so too will www.seiko.com.au, so keep checking for regular updates. Please send any comments you have to info@seiko.com.au, all feedback is welcome.

www.seiko.co.nz

BELOW ARE THE ABBREVIATIONS AND SYMBOLS YOU WILL FIND IN THIS CATALOGUE



- ADVERTISED MODEL** — Advertised model
-  — Solar
-  — New release model
-  — Stainless steel case
-  — Water resistance
-  — Titanium
-  — Ceramic

SSC218P \$899 — Reference number and price

SOLAR ALARM CHRONOGRAPH — Watch type



TGP.MHCWR (10BAR) — Case material (refer to Abbreviations page)

SAPPHIRE GLASS — Glass type

M0TA112D0 — Band reference

V172 — Calibre Number

WATER RESISTANCE USAGE

							
EVERYDAY LIFE (International Standard ISO 2281) Recommended Usage							
Splash Resistant	●	●	●	●	●	●	●
Rain Resistant	●	●	●	●	●	●	●
SWIMMING/WATERSPORTS (International Standard ISO 2281) Recommended Usage							
Water-related Work		●	●	●	●	●	●
Swimming		●	●	●	●	●	●
Watersports (Snorkelling, Surfing, etc)			●	●	●	●	●
DIVING (International Standard ISO 6425) Recommended Usage							
Scuba Diving						●	●
Saturation Diving							●

AHC	All Hard Coat case and back
ASG	All SEIKO Gold Plated case
ALSGP	All Light SEIKO Gold Colour Plated case
ATI	All Titanium case
CE	Ceramics
FRP	Fibre Reinforced Plastic
GPDP	Combined SGP and PDP middle with bezel and SS back
GPHC	Combined SGP and HC middle with bezel and SS back
HC	Hard Coating SS middle with bezel and SS back
HC.SSHC	HC bezel and middle with combined SS and HC back
HGC	Hard Gold Coating middle with bezel and SS back
LSGP	Light colour SGP
MHC	HC middle with SS bezel and back
MSSGP	SS bezel, combined SS and SGP middle and SS back
MSSPCD	SS bezel combined SS and plastic middle with SS back
MSS.HC	SS middle with HC bezel and back
PDP	Palladium plated middle with bezel and SS back
SGP	SEIKO Gold Colour Plate and Stainless Steel back
SS	Stainless Steel case
SSGP	Combined SS and SGP middle with bezel and SS back
SSHC	Combined SS and HC middle with bezel and SS back
TGPCE.MGP	Combined SGP and Ceramic bezel, SGP middle and SS back
TGP.MGPHC	SGP bezel, SGP and HC middle and SS back
TGP.MSSGP	SGP bezel, combined SS and SGP middle and SS back
TGPDP	Combined SGP and PDP bezel, SS middle and SS back
TGPTI.TI	Combined TI and SGP bezel, TI middle and TI back
THC	HC bezel, SS middle and SS back
THC.BTI	HC bezel, BTI (Bright Titanium) middle and BTI back
THC.MHCPCDP	HC bezel, combined HC and plastic middle with SS back
THC.TIHCCE	CE Outer Case, TI HC Inner Case
THGMCETIHG	HGC bezel, combined Ceramics, TI and HGC middle and combined Ceramics, TI and HGC back
TI	Titanium
TPDP	PDP bezel, SS middle and SS back
TSGP	Combined SS and SGP case and SS back
TSSCE	Combined SS and Ceramic bezel , SS middle and SS back
TSSGP	Combined SS and SGP bezel, SS middle and SS back
TSSHC	Combined SS and HC bezel, SS middle and SS back
TTIHC.MTIHCDC.TI	Ti & HC bezel, Ti & HC middle, Ti Back
TTIHC.TI	Combined TI and HC bezel, TI middle and TI back
WR	Water Resistant
XL	Lumibrite hands and hour markers

KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, month and leap year indicator. Hour, minute, second hand.



Case Size
42mm



SNP089P \$1400



KINETIC PERPETUAL, MHC.SSHCWR, (10BAR), XL, SAPPHIRE GLASS,
L01M017M0, 7D48

KINETIC DIRECT DRIVE

Powered by the movement of the wearer, or by winding the crown. 1 month power storage with power reserve indicator. Hour, minute, second hand. Calendar.



Case Size
44.5mm



SRG019P \$1300



KINETIC DIRECT DRIVE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
MOND111J0, 5D22



Case Size
44.5mm



SRG017P \$1300



KINETIC DIRECT DRIVE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
MOND111J0, 5D22



Case Size
44.5mm



SRG021P \$1300



KINETIC DIRECT DRIVE, AHCWR, (10BAR), XL, SAPPHIRE GLASS,
LOC012M0, 5D22

KINETIC G.M.T.

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand and 24 hour hand that can be set to a second time zone independently. Calendar.



Case Size
44.4mm



SUN015P \$899



KINETIC G.M.T, TSSHCWR, (10BAR), XL, SAPPHIRE GLASS,
EXHIBITION CASEBACK, SCREW DOWN CROWN, MOND111J0, 5M85



Case Size
44.4mm



SUN017P \$899



KINETIC G.M.T, TSSHCWR, (10BAR), XL, SAPPHIRE GLASS,
EXHIBITION CASEBACK, SCREW DOWN CROWN, MOND111J0, 5M85

CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. 24 hour hand. Calendar.

ADVERTISED MODEL



Case Size
44.5mm



SPC137P \$999

CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, MOND111J0, 7T04



Case Size
44.5mm



SPC135P \$999

CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, MOND111J0, 7T04



Case Size
44.5mm



SPC141P \$999

CHRONOGRAPH, AHCWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, L0CE013M0, 7T04



ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
42mm



SNAF34P \$1150

ALARM CHRONOGRAPH, TGPHC.HCWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, MOND111M0, 7T62



Case Size
42mm



SNAF37P \$899

ALARM CHRONOGRAPH, TSSHC.HCWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, L01M01AM0, 7T62



SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
44.5mm



SSC271P-9 \$999

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, MOND111J9, V172



Case Size
44.5mm



SSC274P-9 \$1150

SOLAR ALARM CHRONOGRAPH, TGPHC.GPWR, (10BAR), XL, SAPPHIRE
GLASS, SCREW DOWN CROWN, L01M015P9, V172



Case Size
44.5mm



SSC273P-9 \$899

SOLAR ALARM CHRONOGRAPH, HCWR, (10BAR), XL, SAPPHIRE GLASS,
SCREW DOWN CROWN, L01M01CM9, V172



AUTOMATIC

Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second hand.

ADVERTISED MODEL



SSA884J \$1300

AUTOMATIC, TGPCEWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, EXHIBITION CASEBACK, MOR1217R0, 4R38




SSA885J \$1150

AUTOMATIC, TSSCEWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, EXHIBITION CASEBACK, MOR1217J0, 4R38



CHRONOGRAPH

Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.



SNDW98P \$1300

CHRONOGRAPH, TGPCE.MGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, MOR1117P0, 7T92



SNDX95P \$1200

CHRONOGRAPH, TSSCEWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, 8 DIAMONDS, MOTHER OF PEARL DIAL, MOR1117J0, 7T92



SNDX54P \$1150

CHRONOGRAPH, TGPCEWR, (10BAR), XL, SAPPHIRE GLASS, MOTHER OF PEARL DIAL, MOR1117R0, 7T92



KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, month and leap year indicator. Hour, minute, second hand.



Case Size
41.5mm



SNP094P \$1500

KINETIC PERPETUAL, TSGPWR, (10BAR), SAPPHIRE GLASS,
M09B311C0, 7D56



Case Size
41.5mm



SNP098P \$1500

KINETIC PERPETUAL, SSGPWR, (10BAR), SAPPHIRE GLASS,
M09B311J0, 7D56



Case Size
41.5mm



SNP091P \$1500

KINETIC PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS,
M09B311J0, 7D56



KINETIC DIRECT DRIVE

Powered by the movement of the wearer, or by winding the crown. 1 month power storage with power reserve indicator. Hour, minute, second hand. Calendar.



Case Size
41.5mm



SRG009P \$999

KINETIC DIRECT DRIVE, SSWR, (10BAR), SAPPHIRE GLASS,
M09B211J0, 5D22



AUTOMATIC

Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second hand.



Case Size
41.5mm



SSA216J \$1150

AUTOMATIC, TSGPWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASEBACK, M09B311C0, 4R39



Case Size
41.5mm



SSA215J \$1100

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASEBACK, M09B311J0, 4R39



Case Size
41.5mm



SSA213J-2 \$999

AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASEBACK, L0C8011J0, 4R39



PERPETUAL CALENDAR

Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. Hour, minute, second hand. Calendar.



Case Size
41.5mm



SNQ142P \$750

PERPETUAL CALENDAR, TSGPWR, (10BAR), , SAPPHIRE GLASS,
M09B311C0, 6A32



Case Size
41.5mm



SNQ143P \$699

PERPETUAL CALENDAR, SSWR, (10BAR), , SAPPHIRE GLASS,
LOC8011J0, 6A32



ANALOGUE

Hour, minute, small seconds hand.



Case Size
31.4mm



SRKZ64P \$850

ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS,
M0W1111P0, 6G28



Case Size
31.4mm



SRKZ66P \$799

ANALOGUE, TSGPWR, (10BAR), SAPPHIRE GLASS,
MOTHER OF PEARL DIAL, M0W1111C0, 6G28



Case Size
31.4mm



SRKZ69P \$699

ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
MOTHER OF PEARL DIAL, M0W1111J0, 6G28



ANALOGUE

Hour, minute, second hand. Calendar.



Case Size
27.7mm



SXDG04P \$899

ANALOGUE, ASGPWR, (10BAR), SAPPHIRE GLASS, 14 DIAMONDS,
MOTHER OF PEARL DIAL, M0SY111K0, 7N82



Case Size
27.7mm



SXDF44P \$699

ANALOGUE, TSGPWR, (10BAR), SAPPHIRE GLASS,
M0SY111C0, 7N82
MATCHING MODEL No. SUR016P



KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, month and leap year indicator. Hour, minute, second hand.



Case Size
46.3mm



SNP100P \$1600

KINETIC PERPETUAL, MSSGPWR, (10BAR), XL, SAPPHIRE GLASS, MOT5111C0, 7D48



Case Size
46.3mm



SNP101P \$1600

KINETIC PERPETUAL, THCWR, (10BAR), XL, SAPPHIRE GLASS, MOT5111J0, 7D48



Case Size
46.3mm



SNP104P \$1700

KINETIC PERPETUAL, THC.MGPWR, (10BAR), XL, SAPPHIRE GLASS, R02L011P0, 7D48



Case Size
46.3mm




SNP101P-2 \$1500

KINETIC PERPETUAL, THCWR, (10BAR), XL, SAPPHIRE GLASS, R02L011J0, 7D48



Case Size
46.3mm



SNP103P \$1500

KINETIC PERPETUAL, THCWR, (10BAR), XL, SAPPHIRE GLASS, R02L012J0, 7D48



KINETIC DIRECT DRIVE

Powered by the movement of the wearer, or by winding the crown. 1 month power storage with power reserve indicator. Hour, minute, second hand. Calendar.



Case Size
46.3mm



SRH019P \$1200

KINETIC DIRECT DRIVE, THCWR, (10BAR), XL, SAPPHIRE GLASS, R02L011J0, 5D44



Case Size
47mm



SPC145P \$1150

YACHTING TIMER, THCWR, (10BAR), XL, SAPPHIRE GLASS, MOT6111J0, 7T84



Case Size
47mm



SPC149P \$1100

YACHTING TIMER, HCWR, (10BAR), XL, SAPPHIRE GLASS, R02L011M0, 7T84



YACHTING TIMER

Stopwatch measures 12 hours in 1/5th of a second increments with split time. Preset countdown timers for 5, 6, and 10 minutes. Manual set Countdown timer up to 15 minutes in 1 minute increments. Automatic Start stopwatch function after timer reaches zero. 2 alarms – 1 x single time 12 hourly. Regular Alarm – will sound at the same time everyday within a 24 hour period. Dual Time capability.

ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
47mm



SNAF39P \$999



ALARM CHRONOGRAPH, THCWR, (10BAR), XL, SAPPHIRE GLASS,
M0T5111J0, 7T62



Case Size
47mm



SNAF41P \$999



ALARM CHRONOGRAPH, THCWR, (10BAR), XL, SAPPHIRE GLASS,
M0T5111J0, 7T62

CHRONOGRAPH

Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.



Case Size
39mm



SNDW56P \$1300



CHRONOGRAPH, SGPWR, (10BAR), XL, SAPPHIRE GLASS,
M09K211K0, 7T92



Case Size
39mm



SNDW58P \$1300



CHRONOGRAPH, TSSGPWR, (10BAR), XL, SAPPHIRE GLASS,
M09K211R0, 7T92

ANALOGUE

Hour, minute, second hand. Calendar.



Case Size
33mm



SXDF52P \$1150



ANALOGUE, TSSGPWPWR, (10BAR), XL, SAPPHIRE GLASS, 6 DIAMONDS,
M09J217K0, 7N82



Case Size
33mm



SXDF50P \$1100



ANALOGUE, TSSGPWPWR, (10BAR), XL, SAPPHIRE GLASS, 6 DIAMONDS,
M09J217C0, 7N82


KINETIC G.M.T.

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand and 24 hour hand that can be set to a second time zone independently. Calendar.

ADVERTISED MODEL



Case Size
47.5mm



SUN019P \$1400

KINETIC G.M.T, SSWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN & BUTTON, ONE WAY ROTATING BEZEL, MOVY111J0, 5M85



Case Size
47.5mm



SUN023P \$1300

KINETIC G.M.T, MSSHCWR, (20BAR), DIVER'S, XL, SAPPHIRE GLASS, SCREW DOWN CROWN & BUTTON, ONE WAY ROTATING BEZEL, R01Y011M0, 5M85



SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.



Case Size
46.1mm



SSC263P \$1500

SOLAR CHRONOGRAPH, MHCWR, (10BAR), XL, SAPPHIRE GLASS, ROTATING BEZEL, MOVY221M0, V175



Case Size
46.1mm



SSC261P \$1300

SOLAR CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, ROTATING BEZEL, MOVY221J0, V175



Case Size
46.1mm



SSC264P \$1300

SOLAR CHRONOGRAPH, THC.MGPHCWR, (10BAR), XL, SAPPHIRE GLASS, ROTATING BEZEL, LOCH011K0, V175



AUTOMATIC

Powered by the movement of the wearer. Approximately 36 hours energy storage. Accuracy +/- 25 seconds a day average.



Case Size
42.3mm



SRP581K \$899

AUTOMATIC, HCWR, (20BAR), DIVER'S, XL, HARDEX GLASS, SCREW DOWN CROWN, ONE WAY ROTATING BEZEL, R00G011M0, 4R36



KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, and months and leap year indicator.



Case Size
42mm



SNP017P-9 \$1550 100m SS

KINETIC PERPETUAL, HCWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, 35X6VB, 7D46



Case Size
42mm



SNP070P-9 \$1400 100m SS

KINETIC PERPETUAL, TGPHC.MHCWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0BC111N9, 7D48



Case Size
42mm



SNP108P-9 \$1300 100m SS

KINETIC PERPETUAL, TSGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, 34P0XB, 7D48

SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
40.6mm



SSC199P-9 \$995 100m SS

SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0BC112E9, V172



Case Size
40.6mm



SSC290P \$950 100m SS

SOLAR ALARM CHRONOGRAPH, (10BAR), XL, SAPPHIRE GLASS, M0BC111K0, V172



Case Size
40.6mm



SSC198P-9 \$899 100m SS

SOLAR ALARM CHRONOGRAPH, SSGPWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, 34P0XB, V172

ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hour alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
40.6mm



SSC197P-9 \$850 100m SS

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, 34P0ZB, V172



Case Size
40.6mm



SNAE70P \$1150 100m SS

ALARM CHRONOGRAPH, TGPHC.MHCWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, M0NG112D0, 7T62



Case Size
38.7mm





SNAE34P \$999 100m SS

ALARM CHRONOGRAPH, TGPHCWR, (10BAR), XL, SAPPHIRE GLASS, CABOCHON CROWN, 34D6NB, 7T62

ANALOGUE

Hour, minute, second hand. Calendar.

Case Size
38.1mm**SGED96P-9 \$775** 100% SSANALOGUE, HCWR, (10BAR), XL, SAPPHIRE GLASS,
CABOCHON CROWN, 35R7VB, 7N42
MATCHING MODEL No. SXDA50P-9Case Size
25.6mm**SXDA48P-9 \$1295** 100% SSANALOGUE, HCWR, (10BAR), XL, SAPPHIRE GLASS,
CABOCHON CROWN, 20 DIAMONDS,
35R8VB, 7N82Case Size
25.6mm**SXDA50P-9 \$725** 100% SSANALOGUE, HCWR, (10BAR), XL, SAPPHIRE GLASS,
CABOCHON CROWN, 35R8VB, 7N82
MATCHING MODEL No. SGED96P-9Case Size
27.7mm**SXDE06P \$799** 100% SSANALOGUE, TSGPHCWR, (10BAR), XL, SAPPHIRE GLASS,
CABOCHON CROWN, MONH112D0, 7N82

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar and day of the week.



ADVERTISED MODEL

Case Size
29mm**SUT124P-9 \$999** 100% SSSOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, 20 DIAMONDS, MOTHER OF PEARL DIAL,
MOT111C9, V137Case Size
29mm**SUT123P-9 \$850** 100% SSSOLAR ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, 20 DIAMONDS, MOTHER OF PEARL DIAL,
MOT111J9, V137

ADVERTISED MODEL

Case Size
29mm**SUT168P-9 \$799** 100% SSSOLAR ANALOGUE, SGPWR, (10BAR), SAPPHIRE GLASS,
MOTHER OF PEARL DIAL, 12 DIAMONDS, CABOCHON CROWN,
MOT111K9, V137

KINETIC PERPETUAL

Powered by the movement of the wearer. 4 year power storage. Kinetic Perpetual goes to sleep after 24 hours of inactivity to awake within 4 years and automatically relay to the correct time. Perpetual Calendar adjusts automatically until February 2100, including leap years and short months. 24-hour hand, and months and leap year indicator.



Case Size
41.5mm



SNP105P-9 \$1300
KINETIC PERPETUAL, HCWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, M0TA111N9, 7D48



Case Size
41.5mm



SNP066P-9 \$1100
KINETIC PERPETUAL, TSSGPWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, M0TA111C9, 7D48



Case Size
41.5mm



SNP077P \$999
KINETIC PERPETUAL, SSWR, (10BAR), SAPPHIRE GLASS,
CABOCHON CROWN, M0TA111J0, 7D48

AUTOMATIC

Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second and 24 hour hand.



Case Size
41.5mm



SSA241P-9 \$850
AUTOMATIC, SSWR, (10BAR), SAPPHIRE GLASS,
EXHIBITION CASEBACK, CABOCHON CROWN, M0TA111J9, 4R39

SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.

ADVERTISED MODEL

Case Size
41.5mm



SSC218P \$899



SOLAR ALARM CHRONOGRAPH, TGP.MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA112D0, V172

Case Size
41.5mm



SSC265P \$899



SOLAR ALARM CHRONOGRAPH, TSSHC.MHCWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA112E0, V172

Case Size
41.5mm



SSC196P-9 \$850



SOLAR ALARM CHRONOGRAPH, SGPWV, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111K9, V172

Case Size
41.5mm



SSC194P-9 \$850



SOLAR ALARM CHRONOGRAPH, TSSGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111C9, V172

Case Size
41.5mm



SSC260P \$850



SOLAR ALARM CHRONOGRAPH, TSSGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111C0, V172

Case Size
41.5mm



SSC288P \$850



SOLAR ALARM CHRONOGRAPH, TSGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111C0, V172

Case Size
41.5mm



SSC193P-9 \$750



SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, MOTA111J9, V172

Case Size
41.5mm



SSC220P \$899



SOLAR ALARM CHRONOGRAPH, SGPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, L0AC012P0, V172

SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.



Case Size
35.5mm

SSC890P-9 \$1150



SOLAR CHRONOGRAPH, TSSGP.GPWR, (10BAR), SAPPHIRE GLASS, CABOCHON CROWN, 30 DIAMONDS, MOTC112K9, V175

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar and day of the week.



Case Size
28mm

SUT172P-9 \$1050



SOLAR ANALOGUE, TSSGP.MGPWR, (10BAR), SAPPHIRE GLASS, 26 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, M0W5112K9, V137



Case Size
28mm

SUT170P-9 \$999



SOLAR ANALOGUE, TSSGPWR, (10BAR), SAPPHIRE GLASS, 26 DIAMONDS, MOTHER OF PEARL DIAL, CABOCHON CROWN, M0W5112C9, V137

KINETIC

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar. Day of the week (Cal. 5M83).



Case Size
42.5mm



SMY157P-9 \$750

KINETIC, THCSS.MHCWR, (10BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0EV324N9, 5M83



Case Size
42.5mm



SMY151P \$699

KINETIC, THCWR, (10BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0EV324J0, 5M83



Case Size
42.5mm



SMY149P \$650

KINETIC, SSWR, (10BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0EV324J0, 5M83



Case Size
43mm



SKA643P \$699

KINETIC, HCWR, (10BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0E0521N0, 5M82



Case Size
43mm



SKA641P \$599

KINETIC, SSWR, (10BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0E0521J0, 5M82



Case Size
41.1mm



SMY137P \$499

KINETIC, SSWR, (10BAR), XL, HARDEX GLASS,
EXHIBITION CASE BACK, M0JA221J0, 5M83



Case Size
44.2mm



SKA617P \$599

KINETIC, THCWR, (10BAR), XL, HARDEX GLASS,
EXHIBITION CASE BACK, M0V6113J0, 5M82



Case Size
42.2mm



SKA582P-9 \$599

KINETIC, SSGPWR, (10BAR), HARDEX GLASS,
EXHIBITION CASEBACK, M0L3421C9, 5M82



Case Size
42.2mm



SKA573P \$499

KINETIC, SSWR, (10BAR), HARDEX GLASS,
EXHIBITION CASEBACK, M0L3421J0, 5M82

KINETIC

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar. Day of the week.



Case Size
42mm



SRN056P-9 \$699



KINETIC, TSGPWR, (10BAR), HARDLEX GLASS, EXHIBITION CASEBACK,
M0JF421C9, 5M84



Case Size
42mm



SRN055P-9 \$650



KINETIC, SSWR, (10BAR), HARDLEX GLASS, EXHIBITION CASEBACK,
M0JF421J9, 5M84



Case Size
42mm



SRN052P \$650



KINETIC, SGPWR, (10BAR), HARDLEX GLASS, EXHIBITION CASEBACK,
L07H015K0, 5M84



Case Size
42mm



SRN054P \$650



KINETIC, SGPWR, (10BAR), HARDLEX GLASS, EXHIBITION CASEBACK,
L07H014P0, 5M84

PROFESSIONAL DIVER'S

Hour, minute, second hand. Day of the week. Calendar.



Case Size
49.3mm



S23619J \$6900

PROFESSIONAL DIVER'S, THC.THCCEWR, (100BAR), DIVER'S, XL, SAPPHIRE GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R00D011N0, 7C46

KINETIC

Powered by the movement of the wearer. 6 month power storage with power reserve indicator. Hour, minute, second hand. Calendar.



Case Size
43mm



SKA371P-2 \$825

KINETIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, 4KR3JZ, 5M62

SOLAR ANALOGUE

Powered by all light sources. 10 month power reserve. Instant start and low energy warning functions. Hour, minute, second hand. Calendar. Day of the week (Cal. V158).



Case Size
43.7mm



SNE281P \$750

SOLAR ANALOGUE, TSSHCWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, M0CA211N0, V157



Case Size
43.7mm



SNE293P-2 \$599

SOLAR ANALOGUE, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, R01V011J0, V157



Case Size
42mm



SNE107P-2 \$625

SOLAR, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, DA3H1JR, V158

AUTOMATIC

Powered by the movement of the wearer. Approximately 36 hours energy storage. Accuracy +/- 25 seconds a day average. Hour, minute, second hand. Calendar and day of the week.



Case Size
43.5mm



SKX171KS \$695


AUTOMATIC, SSWR, (20BAR), DIVER'S, XL, HARDLEX GLASS, ONE WAY ROTATING BEZEL, SCREW DOWN CROWN, 4D41JZ, 7S26

SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
42.8mm



SSC139P-9 \$895

SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL,
HARDLEX GLASS, M0SA112E9, V172



Case Size
42.8mm



SSC138P-9 \$850

SOLAR ALARM CHRONOGRAPH, SSGPWR, (10BAR), XL,
HARDLEX GLASS, M0SA111C9, V172



Case Size
42mm



SSC095P \$799

SOLAR ALARM CHRONOGRAPH, HCWR, (10BAR), XL,
HARDLEX GLASS, M0CC312N0, V172



Case Size
42mm



SSC257P \$899

SOLAR ALARM CHRONOGRAPH, HCWR, (10BAR), XL,
HARDLEX GLASS, M0ES754N0, V172



Case Size
42mm



SSC253P \$799

SOLAR ALARM CHRONOGRAPH, THCWR, (10BAR), XL,
HARDLEX GLASS, M0ES754J0, V172



Case Size
42mm



SSC255P \$799

SOLAR ALARM CHRONOGRAPH, THCWR, (10BAR), XL,
HARDLEX GLASS, M0ES754J0, V172



Case Size
42mm



SSC259P \$750

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL,
HARDLEX GLASS, L07H012J0, V172



SOLAR ALARM CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hourly alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
42.5mm



SSC143P-9 \$795

SOLAR ALARM CHRONOGRAPH, SSHCWR, (10BAR), XL,
HARDLEX GLASS, M0C0225E9, V172



Case Size
42.5mm



SSC142P \$750

SOLAR ALARM CHRONOGRAPH, TSPWR, (10BAR), XL,
HARDLEX GLASS, M0C0224C0, V172



Case Size
42.5mm



SSC147P \$750

SOLAR ALARM CHRONOGRAPH, THCWR, (10BAR), XL,
HARDLEX GLASS, M0C0224J0, V172



Case Size
42.5mm



SSC141P \$695

SOLAR ALARM CHRONOGRAPH, SSWR, (10BAR), XL,
HARDLEX GLASS, M0C0224J0, V172



CHRONOGRAPH

Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.



Case Size
44.5mm



SSC229P-9 \$650

SOLAR CHRONOGRAPH, THCWR, (10BAR), XL, HARDLEX GLASS,
M0E614J9, V175



ALARM CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. 12-hour alarm. Dual time capability. Hour, minute, second hand. Calendar.



Case Size
43.5mm



SNAA02P-9 \$825



ALARM CHRONOGRAPH, TSGPWR, (10BAR), XL, HARDLEX GLASS, 35C3XG, 7T62



Case Size
38.2mm



SNAC43P \$775



ALARM CHRONOGRAPH, SSWR, (10BAR), XL, CURVED HARDLEX GLASS, 4A711LM, 7T62



Case Size
41mm



SNAF07P \$750



ALARM CHRONOGRAPH, HCWR, (10BAR), XL, HARDLEX GLASS, M0CC411N0, 7T62



Case Size
43.8mm



SNAF45P \$550



ALARM CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS, M0AR311J0, 7T62

CHRONOGRAPH PERPETUAL

Stopwatch measures 24 hours in 1/5th of a second increments. Perpetual Calendar adjusts automatically until February 2100. Alarm. Date and day of the week indicator. On demand month and year indicator.



Case Size
44.6mm



SPC127P \$550



CHRONOGRAPH PERPETUAL, SSWR, (10BAR), HARDLEX GLASS, M0EV211J0, 7T86

CHRONOGRAPH

Calibre 7T92 – Stopwatch measures 12 hours in 1/20th of a second increments with split time facility. Hour, minute, second hand. Calendar.

Calibre 7T12 – Stopwatch measures 60 minutes in 1/5th of a second increments. Hour, Minute, seconds hand. calendar.



Case Size
42.6mm



SNDF91P \$650

CHRONOGRAPH, HCWR, (10BAR), XL, HARDEX GLASS,
M0H6321W0, 7T92



Case Size
42.6mm



SNDF87P \$599

CHRONOGRAPH, SSHCWR, (10BAR), XL, HARDEX GLASS,
M0H6321J0, 7T92



Case Size
42.6mm



SNDF89P \$599

CHRONOGRAPH, SSHCWR, (10BAR), XL, HARDEX GLASS,
M0H6321J0, 7T92



Case Size
44.5mm



SPC098P \$650

CHRONOGRAPH, TGP.MHCWR, (10BAR), XL, HARDEX GLASS,
M0GK823N0, 7T82



Case Size
43.2mm



SNDF43P \$599

CHRONOGRAPH, HCWR, (10BAR), XL, HARDEX GLASS,
M0BN411N0, 7T92



Case Size
43.2mm



SNDF39P \$499

CHRONOGRAPH, SSWR, (10BAR), XL, HARDEX GLASS,
M0BN411J0, 7T92



Case Size
43.2mm




SRW035P \$650

CHRONOGRAPH, SSWR, (10BAR), HARDEX GLASS,
M0AR421J0, 7T12



Case Size
43.2mm



SRW037P \$650

CHRONOGRAPH, SSWR, (10BAR), HARDEX GLASS,
M0AR421J0, 7T12



Case Size
43.2mm



SRW037P-2 \$599

CHRONOGRAPH, SSWR, (10BAR), HARDEX GLASS,
LOC0R11J0, 7T12



CHRONOGRAPH

Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. 24 hour hand. Calendar.



Case Size
41mm



SSB063P \$499

CHRONOGRAPH, SSHCWR, (10BAR), HARDLEX GLASS,
MOCW311J0, 6T63



Case Size
44.9mm



SSB087P \$499

CHRONOGRAPH, SSWR, (10BAR), XL, HARDLEX GLASS,
MOHB627J0, 6T63



Case Size
42.3mm



SSB145P \$499

CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
MOEA421J0, 6T63



Case Size
42.3mm



SSB139P-2 \$499

CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
4LR1JE, 6T63



Case Size
42.3mm



SSB143P \$499

CHRONOGRAPH, SSWR, (10BAR), HARDLEX GLASS,
4LR2JE, 6T63



SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function.

Calibre V157 – 10 month power reserve. Hour, minute, second hands. Calendar.

Calibre V158 – 10 month power reserve. Hour, minute, second hands. Calendar, Day of the week.



Case Size
41.3mm



SNE177P-9 \$699

SOLAR ANALOGUE, TSSHC.MHCWR, (10BAR), XL, HARDLEX GLASS,
M0JX425N9, V158



Case Size
41.3mm



SNE176P-9 \$650

SOLAR ANALOGUE, TSSGPWR, (10BAR), XL, HARDLEX GLASS,
M0JX424C9, V158



Case Size
41.3mm



SNE161P \$550

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0JX424J0, V158



Case Size
39.4mm




SNE252P \$599

SOLAR ANALOGUE, TGP.MHCWR, (10BAR), XL, HARDLEX GLASS,
M0SJ112N0, V157



Case Size
39.4mm



SNE291P \$499

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0SJ111J0, V157



Case Size
38.4mm



SNE125P-9 \$625

SOLAR ANALOGUE, THCWR, (10BAR), HARDLEX GLASS,
M02M212E9, V157



Case Size
38mm



SNE216P \$550

SOLAR ANALOGUE, TSGPWR, (10BAR), XL, HARDLEX GLASS,
M0PY111C0, V157



Case Size
38mm



SNE215P \$499

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0PY111J0, V157



Case Size
39.3mm



SNE087P \$450

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0FE211J0, V157



SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function.

Calibre V157 – 10 month power reserve. Hour, minute, second hands. Calendar.

Calibre V158 – 10 month power reserve. Hour, minute, second hands. Calendar, Day of the week.



Case Size
41.4mm

**SNE342P \$550**

SOLAR ANALOGUE, SGPWR, (10BAR), HARDLEX GLASS,
MOV1111K0, V157
MATCHING MODEL No. SUT142P



Case Size
43mm

**SNE368P-9 \$550**

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,
MOJA331K9, V158



Case Size
43mm

**SNE366P \$550**

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,
MOJA331K0, V158
MATCHING MODEL No. SUT164P



Case Size
43mm

**SNE364P \$550**

SOLAR ANALOGUE, TSGPWR, (10BAR), XL, HARDLEX GLASS,
MOJA331C0, V158
MATCHING MODEL No. SUT162P



Case Size
43mm

**SNE370P-9 \$499**

SOLAR ANALOGUE, TSGPWR, (10BAR), XL, HARDLEX GLASS,
MOJA331C9, V158



Case Size
43mm

**SNE361P \$450**

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
MOJA331J0, V158



Case Size
43mm

**SNE359P \$450**

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
MOJA331J0, V158
MATCHING MODEL No. SUT159P



Case Size
43mm

**SNE366P-2 \$499**

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,
LOOF038K0, V158
MATCHING MODEL No. SUT164P-2



Case Size
43mm

**SNE363P-2 \$450**

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
LOOF034J0, V158

SOLAR ANALOGUE

Powered by all light sources. Instant start and low energy warning function. 10 month power reserve. Hour, minute, second hand. Calendar, Day of the week.



Case Size
39.6mm



SNE094P \$475

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDLEX GLASS,
M0C1111C0, V158



Case Size
39.6mm



SNE098P-9 \$475

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDLEX GLASS,
35C4XZ, V158



Case Size
39.6mm



SNE095P \$395

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
35C4JZ, V158



Case Size
39.6mm



SNE095P-2 \$399

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
L00Y011J0, V158



SOLAR ANALOGUE

Powered by all light sources. 12 month power reserve. Hour, minute hands.



Case Size
28.5mm



SUP881P-9 \$399



SOLAR ANALOGUE, HCWR, HARDEX GLASS, CABOCHON CROWN,
LOCZ011N9, V115



Case Size
28.5mm




SUP880P-9 \$375



SOLAR ANALOGUE, SGPWR, HARDEX GLASS, CABOCHON CROWN,
LOCZ011K9, V115
MATCHING MODEL No. SUP250P-9



Case Size
38mm



SUP875P-9 \$499



SOLAR ANALOGUE, TGPHCWR, HARDEX GLASS, 1 DIAMOND,
L011026K9, V115



Case Size
38mm



SUP878P-9 \$375



SOLAR ANALOGUE, SGPWR, HARDEX GLASS,
L011024K9, V115

AUTOMATIC

Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second and 24 hour hand.



Case Size
40.5mm



SSA232K \$899

AUTOMATIC, SGPWR, (5BAR), HARDLEX GLASS,
EXHIBITION CASEBACK, L07H019K0, 4R39



Case Size
40.5mm



SSA231K \$850

AUTOMATIC, SSWR, (5BAR), HARDLEX GLASS,
EXHIBITION CASEBACK, L07H019J0, 4R39



AUTOMATIC

Powered by the movement of the wearer. Approximately 36 hours energy storage. Accuracy +/- 25 seconds a day average.



Case Size
40.4mm



SNZE32K \$499

AUTOMATIC, SGPWR, (5BAR), XL, HARDLEX GLASS,
EXHIBITION CASE BACK, 3368KG, 7S36



AUTOMATIC

Powered by the movement of the wearer.

Calibre 4R36 – Approximately 41 hours power reserve. Accuracy +/- 25 seconds a day average. Powered by the movement of the wearer or by winding the crown. Hour, minute and second hand. Calendar. Day of week.

Calibre 7S36/7S26 – Approximately 36 hours energy storage. Accuracy +/- 25 seconds a day average. Hour, minute, second hand. Calendar and day of the week.



Case Size
44mm



SRP575K \$599

AUTOMATIC, HCWR, (10BAR), XL, HARDEX GLASS,
ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK,
M0SX211N0, 4R36



Case Size
44mm



SRP551K \$499

AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS,
ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK,
M0SX211J0, 4R36



Case Size
44mm



SRP553K \$499

AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS,
ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK,
M0SX211J0, 4R36



Case Size
44mm



SRP560K \$550

AUTOMATIC, THC.MGPWR, (10BAR), XL, HARDEX GLASS,
ONE WAY ROTATING BEZEL, EXHIBITION CASEBACK,
R00H011P0, 4R36



Case Size
40.2mm



SNZE19K \$499

AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS,
ONE WAY ROTATING BEZEL, EXHIBITION CASE BACK,
4K03JA, 7S36



Case Size
41.7mm



SNZG13K \$460

AUTOMATIC, SSWR, (10BAR), XL, HARDEX GLASS,
EXHIBITION CASE BACK, 300Z1J.M, 7S36



Case Size
43.4mm



SNKM94K \$425

AUTOMATIC, SGPWR, (5BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0VD111Y0, 7S26



Case Size
43.4mm



SNKM92K \$399

AUTOMATIC, SSGPWR, (5BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0VD111Z0, 7S26



Case Size
43.4mm



SNKM87K \$325

AUTOMATIC, SSWR, (5BAR), XL, HARDEX GLASS,
EXHIBITION CASEBACK, M0VD111J0, 7S26



ANALOGUE

Hour minute, second hand (model dependant). Calendar/Day of the week (model dependant).



Case Size
41mm



SGEH06P \$499

ANALOGUE, TSGPWR, (10BAR), XL, SAPPHIRE GLASS,
M0EA331C0, 7N42



Case Size
41mm



SGEH05P \$450

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
M0EA331J0, 7N42



Case Size
41mm



SGEH03P \$450

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
M0EA331J0, 7N42



Case Size
41mm



SGEH01P \$450

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
M0EA331J0, 7N42



Case Size
41mm



SGEH17P \$399

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
LOCLO11J0, 7N42



Case Size
42mm



SGEH11P \$499

ANALOGUE, HCWR, (10BAR), HARDLEX GLASS,
M0E0628N0, 7N42



Case Size
42mm



SGEH09P \$399

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
M0E0627J0, 7N42



Case Size
42mm



SGEH15P \$399

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
M0E0627J0, 7N42
MATCHING MODEL No. SXDG33P



Case Size
42mm



SGEH07P \$399

ANALOGUE, SSWR, (10BAR), HARDLEX GLASS,
M0E0627J0, 7N42
MATCHING MODEL No. SXDG25P



ANALOGUE

Hour minute, second hand (model dependant). Calendar/Day of the week (model dependant).



Case Size
42mm



SGEH14P \$399

ANALOGUE, SG PWR, (10BAR), HARDEX GLASS,
LOCL011K0, 7N42
MATCHING MODEL No. SXDG32P



Case Size
40mm



SGEG93P \$375

ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
MOBN511J0, 7N42



Case Size
36.7mm



SGGA62P \$495

ANALOGUE, SG PWR, (10BAR), XL, SAPPHIRE GLASS,
33X9KZ, 7N43



Case Size
36.7mm



SGGA61P \$460

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
33X9LZ, 7N43



Case Size
36.7mm



SGG719P \$460

ANALOGUE, TSG PWR, (10BAR), XL, SAPPHIRE GLASS,
33X9LZ, 7N43



Case Size
36.7mm



SGG717P \$399

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
33X9JZ, 7N43



Case Size
36.7mm



SGG715P \$399

ANALOGUE, SSWR, (10BAR), XL, SAPPHIRE GLASS,
33X9JZ, 7N43



Case Size
34.3mm



SGG480PS \$360

ANALOGUE, SG PWR, HARDEX GLASS,
4E91KZ, 7N43



SOLAR CHRONOGRAPH

Powered by all light sources. 6 month power reserve. Stopwatch measures 60 minutes in 1/5th of a second increments with split time facility. Hour, minute, second hand. Calendar. 24-hour hand.

Case Size
35mm**SSC876P-9 \$799**

SOLAR CHRONOGRAPH, TSSGP.MGPWR, HARDEX GLASS,
50 CRYSTALS, M0W2112K9, V175

Case Size
35mm**SSC874P-9 \$899**

SOLAR CHRONOGRAPH, TSSGPWR, HARDEX GLASS, 50 CRYSTALS,
M0W2111R9, V175

SOLAR ANALOGUE

Powered by all light sources. 6 months power reserve. Hour, minute, second hand. Calendar.

Case Size
35.5mm**SNE880P-9 \$1100**

SOLAR ANALOGUE, SSWR, (10BAR), HARDEX GLASS,
12 DIAMONDS, M0W6112C9, V157

Case Size
35.5mm**SNE881P-9 \$1050**

SOLAR ANALOGUE, SSWR, (10BAR), HARDEX GLASS,
12 DIAMONDS, M0W6111J9, V157

Case Size
30.1mm**SUT142P \$550**

SOLAR ANALOGUE, SGPWR, (10BAR),
HARDEX GLASS, M0V2111K0, V137
MATCHING MODEL No. SNE342P

Case Size
30.1mm**SUT128P \$550**

SOLAR ANALOGUE, TGP.MSSGPWR, (10BAR),
HARDEX GLASS, M0V2111C0, V137

Case Size
28.9mm**SUT122P \$650**

SOLAR ANALOGUE, GPHCWR, (10BAR), XL, HARDEX GLASS,
M0FD212D0, V187

Case Size
28.9mm**SUT024P \$550**

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDEX GLASS,
M0FD211K0, V187

Case Size
28.9mm**SUT022P \$525**

SOLAR ANALOGUE, SSGPWR, (10BAR), XL, HARDEX GLASS,
M0NL112E9, V187

SOLAR ANALOGUE

Powered by all light sources. 6 months power reserve. Hour, minute, second hand. Calendar. Day of the week (Cal. V138)



Case Size
28.5mm



SUT164P \$550

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,
M0SZ411K0, V138
MATCHING MODEL No. SNE366P



Case Size
28.5mm



SUT162P \$550

SOLAR ANALOGUE, TSGPWR, (10BAR), XL, HARDLEX GLASS,
M0SZ411C0, V138
MATCHING MODEL No. SNE364P



Case Size
28.5mm



SUT159P \$450

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0SZ411J0, V138
MATCHING MODEL No. SNE359P



Case Size
28.5mm



SUT167P-9 \$399

SOLAR ANALOGUE, SSWR, (10BAR), XL, HARDLEX GLASS,
M0SZ411J9, V137



Case Size
28.5mm



SUT164P-2 \$499

SOLAR ANALOGUE, SGPWR, (10BAR), XL, HARDLEX GLASS,
L02J015K0, V138
MATCHING MODEL No. SNE366P-2



Case Size
30mm



SUT182P-9 \$1100

SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS,
M0W4112K9, V137



Case Size
30mm



SUT184P-9 \$1150

SOLAR ANALOGUE, SSGPWR, (5BAR), HARDLEX GLASS,
M0W4112R9, V137



Case Size
30mm



SUT181P-9 \$899

SOLAR ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
M0W4111J9, V137



SOLAR ANALOGUE

Powered by all light sources.

Calibre V114 / V115 / V116 – 12 month power reserve. Hour, minute hands.

Calibre V137 – 6 months power reserve. Instant start and low energy warning. Hour, minute, second hand. Calendar.



SUP221P-9 \$699
SOLAR ANALOGUE, SSWR, HARDEX GLASS,
80 CRYSTALS, M0TD112J9, V115



SUP246P-9 \$650
SOLAR ANALOGUE, TSSGPWR, HARDEX GLASS,
44 CRYSTALS, M0W3112C9, V115



SUP084P-9 \$599
SOLAR ANALOGUE, SSWR, HARDEX GLASS,
22 CRYSTALS, M0AB212C9, V115



SUP086P-9 \$599
SOLAR ANALOGUE, SGPWR, HARDEX GLASS,
22 CRYSTALS, MOTHER OF PEARL DIAL,
M0AB212K9, V115



SUT158P \$599
SOLAR ANALOGUE, SGPWR, HARDEX GLASS,
CABOCHON CROWN, M0VA211K0, V137



SUT154P \$599
SOLAR ANALOGUE, SSGPWR, HARDEX GLASS,
CABOCHON CROWN, M0VA211C0, V137



SUT156P \$650
SOLAR ANALOGUE, SSGPWR, HARDEX GLASS,
CABOCHON CROWN, M0VA211R0, V137



SUT153P \$499
SOLAR ANALOGUE, SSWR, HARDEX GLASS,
CABOCHON CROWN, M0VA211J0, V137



SUP220P-9 \$599
SOLAR ANALOGUE, SGPWR, HARDEX GLASS,
MOTHER OF PEARL DIAL, M0TD112C9, V116



SUP218P-9 \$550
SOLAR ANALOGUE, SSWR, HARDEX GLASS,
MOTHER OF PEARL DIAL, M0DS322J9, V116



SUP226P \$595
SOLAR ANALOGUE, SGPWR, HARDEX GLASS,
22 CRYSTALS, M0AB212K0, V114



SUP206P \$575
SOLAR ANALOGUE, SSGPWR, HARDEX GLASS,
22 CRYSTALS, M0AB212C0, V114

SOLAR ANALOGUE

Powered by all light sources. 12 month power reserve. Hour, minute hands.



Case Size
27.9mm



SUP214P \$499



SOLAR ANALOGUE, SSGPWR, HARDEX GLASS, 32 CRYSTALS,
MOTHER OF PEARL DIAL, M0N7222J0, V115



Case Size
27.9mm



SUP216P \$599



SOLAR ANALOGUE, SSGPWR, HARDEX GLASS, 32 CRYSTALS,
MOTHER OF PEARL DIAL, M0N7222K0, V115



Case Size
18mm



SUP250P-9 \$375



SOLAR ANALOGUE, SGPWR, HARDEX GLASS, CABOCHON CROWN,
L02J026K9, V115
MATCHING MODEL No. SUP880P-9



Case Size
18mm



SUP252P-9 \$375



SOLAR ANALOGUE, SGPWR, HARDEX GLASS, CABOCHON CROWN,
L02J027K9, V115

ANALOGUE

Hour, minute, second hand. Calendar.



Case Size
26.5mm



SXDG20P \$499



ANALOGUE, TSGPWR, (10BAR), SAPPHIRE GLASS,
M0SZ311C0, 7N82



Case Size
26.5mm



SXDG17P \$450



ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
M0SZ311J0, 7N82



Case Size
26.5mm



SXDG21P \$399



ANALOGUE, SSWR, (10BAR), SAPPHIRE GLASS,
L02S013J0, 7N82



Case Size
28.5mm



SXDG33P \$399



ANALOGUE, SSWR, (10BAR), HARDEX GLASS,
M0SZ217J0, 7N82
MATCHING MODEL No. SGEH15P



Case Size
28.5mm



SXDG25P \$399



ANALOGUE, SSWR, (10BAR), HARDEX GLASS,
M0SZ217J0, 7N82
MATCHING MODEL No. SGEH07P



Case Size
28.5mm



SXDG32P \$399



ANALOGUE, SGPWR, (10BAR), HARDEX GLASS,
LOCM011K0, 7N82
MATCHING MODEL No. SGEH14P

ANALOGUE

Hour, minute and second hand (model dependant).



SRZ402P \$650
ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
11 CRYSTALS, CABOCHON CROWN, MOT3112K0, 7N01



SRZ404P \$599
ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOT3112K0, 7N01



SRZ400P \$650
ANALOGUE, TSSGPWR, (5BAR), HARDLEX GLASS,
11 CRYSTALS, CABOCHON CROWN, MOT3112R0, 7N01



SRZ399P \$599
ANALOGUE, SSWR, (5BAR), HARDLEX GLASS, 11 CRYSTALS,
CABOCHON CROWN, MOT3112J0, 7N01



SRZ428P \$650
ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOT4212K0, 7N01



SRZ427P \$699
ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOT4212R0, 7N01



SRZ425P \$499
ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOT4212J0, 7N01



SXDF64P \$550
ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOT2112K0, 7N82



SRZ434P \$650
ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOR8112K0, 7N01



SRZ432P \$650
ANALOGUE, TSSGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOR8112C0, 7N01



SRZ431P \$550
ANALOGUE, SSWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOR8112J0, 7N01



SXGP22P \$550
ANALOGUE, SGPWR, (5BAR), HARDLEX GLASS,
CABOCHON CROWN, MOR6112K0, 1N01

ANALOGUE

Hour, minute and second hand (model dependant).



Case Size
33.2mm



SKY668P \$750



ANALOGUE, TSSGP.MGPWR, HARDEX GLASS, 6 CRYSTALS,
CABOCHON CROWN, MOT8312K0, 5Y19



Case Size
33.2mm




SKY670P \$850



ANALOGUE, TSSGPWR, HARDEX GLASS, 6 CRYSTALS,
CABOCHON CROWN, MOT8311R0, 5Y19



Case Size
29.9mm



SRZ424P \$699



ANALOGUE, TSSGP.MGPWR, HARDEX GLASS, 6 CRYSTALS,
CABOCHON CROWN, MOT8212K0, 7N01



Case Size
29.9mm



SRZ422P \$750



ANALOGUE, TSSGPWR, HARDEX GLASS, 6 CRYSTALS,
CABOCHON CROWN, MOT8211R0, 7N01



Case Size
29.9mm



SRZ421P \$599



ANALOGUE, SSWR, HARDEX GLASS, 6 CRYSTALS,
CABOCHON CROWN, MOT8211J0, 7N01



Case Size
30.8mm



SRK028P \$650



ANALOGUE, TSSGP.MGPWR, HARDEX GLASS,
60 CRYSTALS, CABOCHON CROWN,
MOV5112K0, 6G28



Case Size
30.8mm



SRK027P \$599



ANALOGUE, SSWR, HARDEX GLASS,
60 CRYSTALS, CABOCHON CROWN,
MOV5111J0, 6G28



Case Size
18mm



SUJG72P \$499



ANALOGUE, SGPWR, HARDEX GLASS,
CABOCHON CROWN, MOV3112K0, 1N00



Case Size
18mm



SUJG69P \$450



ANALOGUE, SSWR, HARDEX GLASS,
CABOCHON CROWN, MOV3112J0, 1N00

ANALOGUE

Hour, minute and second hand (model dependant).



Case Size
28.4mm



SRZ385P \$550

ANALOGUE, SSWR, HARDEX GLASS, 52 CRYSTALS,
CABOCHON CROWN, MOR8112J0, 7N01



Case Size
12.8mm



SZZC40P-9 \$499

ANALOGUE, GPDWR, HARDEX GLASS,
44Y2XB, 2E20



Case Size
25.7mm



SFQ830P \$340

ANALOGUE, SGPWR, HARDEX GLASS, CABOCHON CROWN,
4J38KB, 7N00



STOPWATCHES

STOPWATCHES



S23571J \$995
PC, HARDEX GLASS,
BZA08N, S149




S23569J \$775
PCWR, HARDEX GLASS,
BZA02N, S143



S23535P \$675
PC, HARDEX GLASS,
BZA04N, S351



S23605P \$399
APCWR (5BAR), ACRYLIC GLASS,
DFY6JB, S058



S23593J \$695
APCWR (10BAR), HARDEX GLASS,
BZA04N, S141



S23603P \$340
APCWR, ACRYLIC GLASS,
DD83AD, S057



S23601P \$299
APCWR, ACRYLIC GLASS,
DD83AD, S056



S23589J \$145
PCWR, ACRYLIC GLASS,
4E22MB, W073



S23547J \$199.95
PC, GRIPSWITCH FOR S23571J,
S149

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
S23619J	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR43SW	7C46	Analogue	Professional Diver's 1000	R00D011N0	Sapphire	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SFQ830P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR616SW	7N00	Analogue	Water Resistant	4J38KB	Hardlex	Cabochon - Pull Out		Hour, Minute				
SGED96P-9	Coutura	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	35R7VB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SGEG93P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0BN511J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SGEH01P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0EA331J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SGEH03P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0EA331J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SGEH05P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0EA331J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SGEH06P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0EA331C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SGEH07P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0627J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SGEH09P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0627J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SGEH11P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0628N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SGEH14P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	L0CL011K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SGEH15P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	M0E0627J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SGEH17P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N42	Analogue	100 Metres	L0CL011J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SGG480PS	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	Water Resistant	4E91KZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SGG715P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9JZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SGG717P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9JZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SGG719P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9LZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SGGA61P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9LZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SGGA62P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	5 Years	SR920SW	7N43	Analogue	100 Metres	33X9KZ	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SKA371P-2	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M62	Analogue	Diver's 200 Metres	4KR3NZ	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SKA573P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0L3421J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SKA582P-9	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0L3421C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SKA617P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0V6113J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA641P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0E0521J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKA643P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M82	Analogue	100 Metres	M0E0521N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SKX171KS	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S26	Analogue	Diver's 200 Metres	4D41JZ	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SKY668P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR920SW	5Y19	Analogue	Water Resistant	M0T8312K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Day Of The Week		Crystals	6
SKY670P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR920SW	5Y19	Analogue	Water Resistant	M0T8311R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Day Of The Week		Crystals	6
SMY137P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M83	Analogue	100 Metres	M0JA221J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SMY149P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M83	Analogue	100 Metres	M0EV324J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SMY151P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M83	Analogue	100 Metres	M0EV324J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
S23619J				On Bezel									
SFQ830P													
SGED96P-9													
SGEG93P													
SGEH01P													
SGEH03P													
SGEH05P													
SGEH06P													
SGEH07P													
SGEH09P													
SGEH11P													
SGEH14P													
SGEH15P													
SGEH17P													
SGG480PS													
SGG715P													
SGG717P													
SGG719P													
SGGA61P													
SGGA62P													
SKA371P-2				On Bezel									
SKA573P												Yes	
SKA582P-9												Yes	
SKA617P												Yes	Yes
SKA641P												Yes	Yes
SKA643P												Yes	Yes
SKX171KS				On Bezel									
SKY668P													
SKY670P													
SMY137P												Yes	Yes
SMY149P												Yes	Yes
SMY151P												Yes	Yes

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SMY157P-9	Conceptual & Regular	Kinetic - Powered By The Movement Of the Wearer	Kinetic	6 Month Power Reserve	N/A	5M83	Analogue	100 Metres	M0EV324N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNA002P-9	Conceptual & Regular	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	35C3XG	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNAC43P	Conceptual & Regular	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	4A711LM	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNAE34P	Coutura	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	34D6NB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNAE70P	Coutura	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0NG112D0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNAF07P	Conceptual & Regular	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0CC411N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNAF34P	Sportura	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0ND111M0	Sapphire	Screw Down		Hour, Minute, Seconds	Date	Hands & Markers		
SNAF37P	Sportura	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	L01M01AM0	Sapphire	Screw Down		Hour, Minute, Seconds	Date	Hands & Markers		
SNAF39P	Velatura	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0T5111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNAF41P	Velatura	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0T5111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNAF45P	Conceptual & Regular	Quartz - Powered By A Battery	Alarm Chronograph	3 Years	SR927W	7T62	Analogue	100 Metres	M0AR311J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDF39P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0BN411J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDF43P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0BN411N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDF87P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0H6321J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDF89P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0H6321J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDF91P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0H6321W0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDW56P	Velatura	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M09K211K0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDW58P	Velatura	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M09K211R0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDW98P	Sportura	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0R1117P0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDX54P	Sportura	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0R1117R0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNDX95P	Sportura	Quartz - Powered By A Battery	Chronograph	3 Years	SR927SW	7T92	Analogue	100 Metres	M0R1117J0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers	Diamonds	8
SNE087P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0FE211J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE094P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0C1111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE095P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	35C4JZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE095P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L00Y011J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE098P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	34C4XZ	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE107P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	Diver's 200 Metres	DA3H1JR	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE125P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M02M212E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE161P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JX424J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SMY157P-9												Yes	Yes
SNAA02P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAC43P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAE34P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAE70P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF07P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF34P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SNAF37P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SNAF39P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF41P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNAF45P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SNDF39P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time					Yes						
SNDF43P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time					Yes						
SNDF87P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time											
SNDF89P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time											
SNDF91P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time											
SNDW56P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time											
SNDW58P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time											
SNDW98P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time					Yes						
SNDX54P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time					Yes						
SNDX95P		Stopwatch Measures 12 Hours In 1/20th Of A Second Increments With Split Time					Yes						
SNE087P													
SNE094P													
SNE095P													
SNE095P-2													
SNE098P-9													
SNE107P-2				On Bezel									
SNE125P-9													
SNE161P													

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SNE176P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JX424C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE177P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JX425N9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE215P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0PY111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE216P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0PY111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE252P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0SJ112N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE281P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	M0CA211N0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SNE291P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0SJ111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SNE293P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	Diver's 200 Metres	R01V011J0	Hardlex	Screw Down	One Way	Hour, Minute, Seconds	Date	Hands & Markers		
SNE342P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE359P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE361P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE363P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L00F034J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE364P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE366P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE366P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	L00F038K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE368P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE370P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V158	Analogue	100 Metres	M0JA331C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNE880P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0W6112C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date		Diamonds	12
SNE881P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	10 Month Power Reserve	N/A	V157	Analogue	100 Metres	M0W6111J9	Hardlex	Pull Out		Hour, Minute, Seconds	Date		Diamonds	12
SNKM87K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S26	Analogue	100 Metres	M0VD111J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNKM92K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S26	Analogue	100 Metres	M0VD111Z0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNKM94K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S26	Analogue	100 Metres	M0VD111Y0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNP017P-9	Coutura	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D46	Analogue	100 Metres	35X6VB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP066P-9	Le Grand Sport	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	M0TA111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP070P-9	Coutura	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	M0BC111N9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP077P	Le Grand Sport	Kinetic - Powered By The Movement Of The Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	M0TA111J0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SNE176P-9													
SNE177P-9													
SNE215P													
SNE216P													
SNE252P													
SNE281P				On Bezel									
SNE291P													
SNE293P-2				On Bezel									
SNE342P													
SNE359P													
SNE361P													
SNE363P-2													
SNE364P													
SNE366P													
SNE366P-2													
SNE368P-9													
SNE370P-9													
SNE880P-9													
SNE881P-9													
SNKM87K													Yes
SNKM92K													Yes
SNKM94K													Yes
SNP017P-9					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP066P-9					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP070P-9					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP077P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SNP089P	Sportura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years	N/A	7D48	Analogue	100 Metres	L01M017M0	Sapphire	Screw Down		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP091P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP094P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M09B311C0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP098P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Years Power Reserve	N/A	7D56	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP100P	Velatura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	M0T5111C0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP101P	Velatura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	M0T5111J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP101P-2	Velatura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	R02L011J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP103P	Velatura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	R02L012J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP104P	Velatura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	R02L011P0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNP105P-9	Le Grand Sport	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	M0TA111N9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year			
SNP108P-9	Coutura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Perpetual	4 Year Power Reserve	N/A	7D48	Analogue	100 Metres	34P0XB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date, Month, Leap Year	Hands & Markers		
SNQ142P	Premier	Quartz - Powered By A Battery	Perpetual Calendar	4 Year Power Reserve	SR927SW	6A32	Analogue	100 Metres	M09B311C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SNQ143P	Premier	Quartz - Powered By A Battery	Perpetual Calendar	4 Year Power Reserve	SR927SW	6A32	Analogue	100 Metres	LOC8011J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SNZE19K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S36	Analogue	100 Metres	4K03JA	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNZE32K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S36	Analogue	50 Metres	3368KG	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SNZG13K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	7S36	Analogue	100 Metres	30021JM	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SPC098P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR627W	7T82	Analogue	100 Metres	M0GK823N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SPC127P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph Perpetual	5 Years	SR927SW	7T86	Analogue	100 Metres	M0EV211J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SPC135P	Sportura	Quartz - Powered By A Battery	Chronograph	5 Years	SR927SW	7T04	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down Crown		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SPC137P	Sportura	Quartz - Powered By A Battery	Chronograph	5 Years	SR927SW	7T04	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down Crown		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SPC141P	Sportura	Quartz - Powered By A Battery	Chronograph	5 Years	SR927SW	7T04	Analogue	100 Metres	LOC013M0	Sapphire	Screw Down Crown		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SPC145P	Velatura	Quartz - Powered By A Battery	Yachting Timer	3 Year Power Reserve	SR927SW	7T84	Analogue	100 Metres	M0T6111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SPC149P	Velatura	Quartz - Powered By A Battery	Yachting Timer	3 Year Power Reserve	SR927SW	7T84	Analogue	100 Metres	R02L011M0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SRG009P	Premier	Kinetic - Powered By The Movement Of the Wearer	Kinetic Direct Drive	1 Month Power Reserve	N/A	5D22	Analogue	100 Metres	M09B211J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SRG017P	Sportura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Direct Drive	1 Month Power Reserve	N/A	5D22	Analogue	100 Metres	M0ND111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SRG019P	Sportura	Kinetic - Powered By The Movement Of the Wearer	Kinetic Direct Drive	1 Month Power Reserve	N/A	5D22	Analogue	100 Metres	M0ND111J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SNP089P					Adjusts Automatically For Short Months and Leap Years Until February, 2100								
SNP091P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP094P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP098P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP100P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP101P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP101P-2					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP103P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP104P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP105P-9					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNP108P-9					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNQ142P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNQ143P					Calendar Automatically Adjusts Or Short Months and Leap Years Until February, 2100								
SNZE19K													Yes
SNZE32K													Yes
SNZG13K													Yes
SPC098P		Stopwatch Measures 40 Minutes In 1/5th Of A Second Increments With Split Time (Counts to 120 Minutes in Total)											
SPC127P	1 X 12 Hourly Alarm	Stopwatch Measures 12 Hours In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone		Adjusts Automatically For Short Months and Leap Years Until February, 2100	Yes							
SPC135P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time				Yes							
SPC137P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time				Yes							
SPC141P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time				Yes							
SPC145P	2 X Alarm. 1 X Single Time 12 Hourly. 1 X Daily 12 Hourly Alarm	Stopwatch Measures 12 Hours in 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone	3 X Preset Timers - 5, 6, 10 minute. Manual Timer can be set up to 15 minutes in 1 minute increments.									
SPC149P	2 X Alarm. 1 X Single Time 12 Hourly. 1 X Daily 12 Hourly Alarm	Stopwatch Measures 12 Hours in 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone	3 X Preset Timers - 5, 6, 10 minute. Manual Timer can be set up to 15 minutes in 1 minute increments.									
SRG009P											Yes	Yes	
SRG017P											Yes	Yes	
SRG019P											Yes	Yes	

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SRG021P	Sportura	Kinetic - Powered By The Movement Of The Wearer	Kinetic Direct Drive	1 Month Power Reserve	N/A	5D22	Analogue	100 Metres	L0CE012M0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SRH019P	Velatura	Kinetic - Powered By The Movement Of The Wearer	Kinetic Direct Drive	1 Month Power Reserve	N/A	5D44	Analogue	100 Metres	R02L011J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRK027P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	Water Resistant	M0V5111J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	60
SRK028P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	Water Resistant	M0V5112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	60
SRK264P	Premier	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	100 Metres	M0W1111P0	Sapphire	Pull Out		Hour, Minute, Seconds				
SRK266P	Premier	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	100 Metres	M0W1111C0	Sapphire	Pull Out		Hour, Minute, Seconds				
SRK269P	Premier	Quartz - Powered By A Battery	Analogue	3 Years	SR626SW	6G28	Analogue	100 Metres	M0W1111J0	Sapphire	Pull Out		Hour, Minute, Seconds				
SRN052P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M84	Analogue	100 Metres	L07H015K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SRN054P	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M84	Analogue	100 Metres	L07H014J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SRN055P-9	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M84	Analogue	100 Metres	M0JF421J9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SRN056P-9	Conceptual & Regular	Kinetic - Powered By The Movement Of The Wearer	Kinetic	6 Month Power Reserve	N/A	5M84	Analogue	100 Metres	M0JF421C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SRP551K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0SX211J0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP553K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0SX211J0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP560K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	R00H011P0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP575K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	100 Metres	M0SX211N0	Hardlex	Pull Out	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRP581P	Prospex	Automatic - Powered By The Movement Of The Wearer	Analogue	36 Hours Power Reserve	N/A	4R36	Analogue	Diver's 200 Metres	R00G011M0	Hardlex	Screw Down Crown	One Way	Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SRW035P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	5 Years	SR627SW	7T12	Analogue	100 Metres	M0AR421J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SRW037P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	5 Years	SR627SW	7T12	Analogue	100 Metres	M0AR421J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SRW037P-2	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	5 Years	SR627SW	7T12	Analogue	100 Metres	L0CR011J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SRZ385P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8112J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	52
SRZ399P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	11
SRZ400P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	11
SRZ402P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	11
SRZ404P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T3112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SRZ421P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0T8211J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	6
SRZ422P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0T8211R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	6
SRZ424P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	Water Resistant	M0T8212K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds			Crystals	6
SRZ425P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T4212J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SRZ427P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T4212R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SRZ428P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0T4212K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SRG021P											Yes	Yes	
SRH019P											Yes	Yes	
SRK027P													
SRK028P													
SRK264P													
SRK266P													
SRK269P													
SRN052P													Yes
SRN054P													Yes
SRN055P-9												Yes	Yes
SRN056P-9												Yes	Yes
SRP551K											Yes		Yes
SRP553K											Yes		Yes
SRP560K											Yes		Yes
SRP575K											Yes		Yes
SRP581P				On Bezel							Yes		
SRW035P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SRW037P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SRW037P-2		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SRZ385P													
SRZ399P													
SRZ400P													
SRZ402P													
SRZ404P													
SRZ421P													
SRZ422P													
SRZ424P													
SRZ425P													
SRZ427P													
SRZ428P													

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SRZ431P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8112J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SRZ432P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8112C0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SRZ434P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N01	Analogue	50 Metres	M0R8112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SSA213J-2	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	L0C8011J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA215J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	M09B311J0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA216J	Premier	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	M09B311C0	Sapphire	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA231K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	50 Metres	L07H019J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA232K	Conceptual & Regular	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	50 Metres	L07H019K0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA241P-9	Le Grand Sport	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R39	Analogue	100 Metres	M0TA111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour				
SSA884J	Sportura	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0R1217R0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds		Hands & Markers		
SSA885J	Sportura	Automatic - Powered By The Movement Of The Wearer	Analogue	41 Hours Power Reserve	N/A	4R38	Analogue	100 Metres	M0R1217J0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds		Hands & Markers		
SSB063P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	M0CW311J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSB087P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	M0HB627J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSB139P-2	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	4LR1JE	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSB143P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	4LR2JE	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSB145P	Conceptual & Regular	Quartz - Powered By A Battery	Chronograph	3 Years	SR936SW	6T63	Analogue	100 Metres	M0EA421J0	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date			
SSC095P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0CC312N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC138P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0SA111C9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC139P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0SA112E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC141P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC142P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC143P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0225E9	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC147P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0C0224J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC193P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC194P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC196P-9	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SRZ431P													
SRZ432P													
SRZ434P													
SSA213J-2											Yes		Yes
SSA215J											Yes		Yes
SSA216J											Yes		Yes
SSA231K											Yes		Yes
SSA232K											Yes		Yes
SSA241P-9											Yes		Yes
SSA884J											Yes		Yes
SSA885J											Yes		Yes
SSB063P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSB087P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSB139P-2		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSB143P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSB145P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC095P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC138P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC139P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC141P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC142P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC143P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC147P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone				Yes						
SSC193P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC194P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC196P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SSC197P-9	Coutura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	34P0ZB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC198P-9	Coutura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	34P0XB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC199P-9	Coutura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0BC112E9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC218P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC220P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L0AC012P0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC229P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0ES614J9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SSC253P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0ES754J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC255P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0ES754J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC257P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0ES754N0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC259P	Conceptual & Regular	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L07H012J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC260P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111C0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC261P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0VY221J0	Sapphire	Pull Out	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SSC263P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	M0VY221M0	Sapphire	Pull Out	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SSC264P	Prospex	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	100 Metres	L0CH011K0	Sapphire	Pull Out	Two Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SSC265P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA112E0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC271P-9	Sportura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0ND111J9	Sapphire	Screw Down Crown		Hour, Minute, Seconds	Date	Hands & Markers		
SSC273P-9	Sportura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L01M01CM9	Sapphire	Screw Down Crown		Hour, Minute, Seconds	Date	Hands & Markers		
SSC274P-9	Sportura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	L01M015P9	Sapphire	Screw Down Crown		Hour, Minute, Seconds	Date	Hands & Markers		
SSC288P	Le Grand Sport	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TA111C0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SSC290P	Coutura	Solar - Powered By Any Light Source	Alarm Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0BC111K0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SSC874P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	Water Resistant	M0W2111R9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date		Crystals	50
SSC876P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V175	Analogue	Water Resistant	M0W2112K9	Hardlex	Pull Out		Hour, Minute, Seconds, 24-Hour	Date		Crystals	50
SSC890P-9	Le Grand Sport	Solar - Powered By Any Light Source	Chronograph	6 Month Power Reserve	N/A	V172	Analogue	100 Metres	M0TC112K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds, 24-Hour	Date		Diamonds	30
SUJG69P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR516SW	1N00	Analogue	Water Resistant	M0V3112J0	Hardlex	Cabochon - Pull Out		Hour, Minute				
SUJG72P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR516SW	1N00	Analogue	Water Resistant	M0V3112K0	Hardlex	Cabochon - Pull Out		Hour, Minute				
SUN015P	Sportura	Kinetic - Powered By The Movement Of the Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN017P	Sportura	Kinetic - Powered By The Movement Of the Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	100 Metres	M0ND111J0	Sapphire	Screw Down		Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SSC197P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC198P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC199P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC218P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC220P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC229P-9		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time				Yes							
SSC253P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC255P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC257P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC259P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC260P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC261P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time						Yes					
SSC263P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time						Yes					
SSC264P		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time						Yes					
SSC265P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC271P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone			Yes							
SSC273P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone			Yes							
SSC274P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone			Yes							
SSC288P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC290P	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time	Yes - Alarm Dial Can Be Adjusted To A Second Time Zone										
SSC874P-9		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC876P-9		Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SSC890P-9	1 X 12 Hourly Alarm	Stopwatch Measures 60 Minutes In 1/5th Of A Second Increments With Split Time											
SUJG69P													
SUJG72P													
SUN015P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone									Yes	Yes
SUN017P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone									Yes	Yes

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SUN019P	Prospex	Kinetic - Powered By The Movement Of the Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	Diver's 200 Metres	M0VY111J0	Sapphire	Screw Down Crown & Button	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUN023P	Prospex	Kinetic - Powered By The Movement Of the Wearer	Kinetic G.M.T	6 Month Power Reserve	N/A	5M85	Analogue	Diver's 200 Metres	R01Y011M0	Sapphire	Screw Down Crown & Button	One Way	Hour, Minute, Seconds, 24-Hour	Date	Hands & Markers		
SUP084P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0AB212C9	Hardlex	Pull Out		Hour, Minute			Crystals	22
SUP086P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0AB212K9	Hardlex	Pull Out		Hour, Minute			Crystals	22
SUP206P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V114	Analogue	Water Resistant	M0AB212C0	Hardlex	Pull Out		Hour, Minute			Crystals	22
SUP214P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0N7222J0	Hardlex	Pull Out		Hour, Minute			Crystals	32
SUP216P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0N7222K0	Hardlex	Pull Out		Hour, Minute			Crystals	32
SUP218P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V116	Analogue	Water Resistant	M0DS322J9	Hardlex	Pull Out		Hour, Minute				
SUP220P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V116	Analogue	Water Resistant	M0TD112C9	Hardlex	Pull Out		Hour, Minute				
SUP221P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0TD112J9	Hardlex	Pull Out		Hour, Minute			Crystals	80
SUP226P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V114	Analogue	Water Resistant	M0AB212K0	Hardlex	Pull Out		Hour, Minute			Crystals	22
SUP246P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	M0W3112C9	Hardlex	Pull Out		Hour, Minute			Crystals	44
SUP250P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L02J026K9	Hardlex	Cabochon - Pull Out		Hour, Minute				
SUP252P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L02J027K9	Hardlex	Cabochon - Pull Out		Hour, Minute				
SUP875P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L011026K9	Hardlex	Pull Out		Hour, Minute			Diamonds	1
SUP878P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L011024K9	Hardlex	Pull Out		Hour, Minute				
SUP880P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0C2011K9	Hardlex	Cabochon - Pull Out		Hour, Minute				
SUP881P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	12 Month Power Reserve	N/A	V115	Analogue	Water Resistant	L0C2011N9	Hardlex	Cabochon - Pull Out		Hour, Minute				
SUT022P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	2 Month Power Reserve	N/A	V187	Analogue	100 Metres	M0FD211C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SUT024P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	2 Month Power Reserve	N/A	V187	Analogue	100 Metres	M0FD211K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SUT122P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	2 Month Power Reserve	N/A	V187	Analogue	100 Metres	M0FD212D0	Hardlex	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SUT123P-9	Coutura	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0TE111J9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	20
SUT124P-9	Coutura	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0TE111C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	20
SUT128P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0V2111C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SUT142P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0V2111K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SUT153P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211J0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date			

PRODUCT INFORMATION MATRIX

Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SUN019P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone	On Bezel								Yes	
SUN023P			Yes - 24 Hour Hand Can Be Adjusted To A Second Time Zone	On Bezel								Yes	
SUP084P-9													
SUP086P-9													
SUP206P													
SUP214P													
SUP216P													
SUP218P-9													
SUP220P-9													
SUP221P-9													
SUP226P													
SUP246P-9													
SUP250P-9													
SUP252P-9													
SUP875P-9													
SUP878P-9													
SUP880P-9													
SUP881P-9													
SUT022P													
SUT024P													
SUT122P													
SUT123P-9													
SUT124P-9													
SUT128P													
SUT142P													
SUT153P													

PRODUCT INFORMATION MATRIX

Model Number	Collection	Calibre Type	Calibre Function	Power Reserve/Battery Life	Battery Type	Calibre Number	Display	Water Resistance	Band Reference	Glass Type	Crown	Rotating Bezel	Hand Indicators	Calendar Indicators	Lumibrite	Stone Set Type	Stone Set Qty
SUT154P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211C0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SUT156P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211R0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SUT158P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	Water Resistant	M0VA211K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SUT159P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	M0SZ411J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SUT162P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	M0SZ411C0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SUT164P	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	M0SZ411K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SUT164P-2	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V138	Analogue	100 Metres	L02J015K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week	Hands & Markers		
SUT167P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0SZ411J9	Hardlex	Pull Out		Hour, Minute, Seconds	Date, Day Of The Week			
SUT168P-9	Coutura	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0TE111K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	12
SUT170P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112C9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	26
SUT172P-9	Le Grand Sport	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	100 Metres	M0W5112K9	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date		Diamonds	26
SUT181P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0W4111J9	Hardlex	Pull Out		Hour, Minute, Seconds	Date		Diamonds	20
SUT182P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0W4112K9	Hardlex	Pull Out		Hour, Minute, Seconds	Date		Diamonds	20
SUT184P-9	Conceptual & Regular	Solar - Powered By Any Light Source	Analogue	6 Month Power Reserve	N/A	V137	Analogue	50 Metres	M0W4112R9	Hardlex	Pull Out		Hour, Minute, Seconds	Date		Diamonds	20
SXDA48P-9	Coutura	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	35R8VB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers	Diamonds	20
SXDA50P-9	Coutura	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	35R8VB	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SXDE06P	Coutura	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0NH112D0	Sapphire	Cabochon - Pull Out		Hour, Minute, Seconds	Date	Hands & Markers		
SXDF44P	Premier	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SY111C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SXDF50P	Velatura	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M09J217C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers	Diamonds	6
SXDF52P	Velatura	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M09J217K0	Sapphire	Pull Out		Hour, Minute, Seconds	Date	Hands & Markers	Diamonds	6
SXDF64P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	50 Metres	M0T2112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds	Date			
SXDG04P	Premier	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SY111K0	Sapphire	Pull Out		Hour, Minutes, Seconds	Date		Diamonds	14
SXDG17P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ311J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SXDG20P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ311C0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SXDG21P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	L02S013J0	Sapphire	Pull Out		Hour, Minute, Seconds	Date			
SXDG25P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ217J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SXDG32P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	L0CM011K0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SXDG33P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR621SW	7N82	Analogue	100 Metres	M0SZ217J0	Hardlex	Pull Out		Hour, Minute, Seconds	Date			
SXGP22P	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	2 Years	SR521SW	1N01	Analogue	50 Metres	M0R6112K0	Hardlex	Cabochon - Pull Out		Hour, Minute, Seconds				
SZC40P-9	Conceptual & Regular	Quartz - Powered By A Battery	Analogue	3 Years	SR521SW	2E20	Analogue	Water Resistant	44Y2XB	Hardlex	Pull Out		Hour, Minute				

PRODUCT INFORMATION MATRIX


Model Number	Alarm	Stopwatch	Dual Time Capability	Timer	Perpetual Calendar	Compass	Tachymetre	Telemeter	Slide Rule	World Time	Hand Winding Capability	Power Reserve Indicator	Exhibition Case Back
SUT154P													
SUT156P													
SUT158P													
SUT159P													
SUT162P													
SUT164P													
SUT164P-2													
SUT167P-9													
SUT168P-9													
SUT170P-9													
SUT172P-9													
SUT181P-9													
SUT182P-9													
SUT184P-9													
SXDA48P-9													
SXDA50P-9													
SXDE06P													
SXDF44P													
SXDF50P													
SXDF52P													
SXDF64P													
SXDG04P													
SXDG17P													
SXDG20P													
SXDG21P													
SXDG25P													
SXDG32P													
SXDG33P													
SXGP22P													
SZZC40P-9													

PRODUCT INFORMATION MATRIX – STOPWATCH

Model Number	Page	Case Material	Band/Neck Strap Ref No.	Glass Type	Water Resistance (Metres)	Calibre	Battery Type	Battery Life/Power Reserve (Approx)	Time/Calendar Function	Stopwatch Count	Lap
S23535P	47	PC	BZA04N	HARDLEX		S351	CR2032	3 YEARS	•	100 HOURS IN 1 SECOND INCREMENTS	999
S23547J	47	PC	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A
S23569J	47	PC	BZA02N	HARDLEX	WR	S143	CR2431	4 YEARS	•	10 HOURS IN 1/100TH SECOND INCREMENTS	999
S23571J	47	PC	BZA08N	HARDLEX		S149	CR2430	3 YEARS	•	1 HOUR IN 1/100TH SECOND INCREMENTS	999
S23589J	47	PC	4E22MB	ACRYLIC	WR	W073	CR2025	2 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	99
S23593J	47	APC	BZA04N	HARDLEX	100	S141	CR2430	3 YEARS	•	10 HOURS IN 1/100TH SECOND INCREMENTS	300
S23601P	47	APC	DD83AD	ACRYLIC	50	S056	CR2032	3 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999
S23603P	47	APC	DD83AD	ACRYLIC	50	S057	CR2033	4 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999
S23605P	47	APC	DFY6JB	ACRYLIC	50	S058	CR2032	3 YEARS	•	100 HOURS IN 1/100TH SECOND INCREMENTS	999

PRODUCT INFORMATION MATRIX – STOPWATCH

Model Number	Split	Memory	Countdown Timer	Other Functions
S23535P	999		100 HOURS IN 1 SECOND INCREMENTS	TIME CALCULATION, SPECIALTY TIMER FUNCTIONS FOR AUDIO AND VIDEO PRODUCTION ENVIRONMENTS
S23547J	N/A	N/A	N/A	REMOTE GRIPSWITCH FOR S23571J
S23569J	999	300 LAP/SPLIT		PRINTER CONNECTIVITY, MEMORY CAPACITY INDICATOR
S23571J	999	300 LAP/SPLIT		BUILT IN PRINTER, MEMORY CAPACITY INDICATOR, AUTO START FUNCTION, GRIP SWITCH CONNECTABILITY
S23589J	99	10 LAP/SPLIT	N/A	
S23593J	300	100 LAP/SPLIT	N/A	STROKES PER MINUTE 9 PLACE MEMORY, MEMORY CAPACITY INDICATOR
S23601P	999	100 LAP/SPLIT	N/A	AUTOMATIC BATTERY SAVE SHUT OFF
S23603P	999	100 LAP/SPLIT	TWO-CHANNEL COUNTDOWN TIMERS IN DECIMAL SYSTEM WITH AUTO REPEAT FUNCTION ACCOMPANIED WITH DIFFERENT ALARM SOUND TONES EACH CHANNEL CAN BE SET FROM 10 SECONDS UP TO 99 HOURS 59 MINUTES AND 59 SECONDS THE NUMBER OF TIMES THAT THE TIMERS REPEAT THEIR COUNTDOWN CYCLES CAN BE SET FROM 1 TO 100 TIMES.	AUTOMATIC BATTERY SAVE SHUT OFF
S23605P	999	100 LAP/SPLIT	2 X EACH CHANNEL CAN BE SET FOR FROM 10 SECONDS UP TO 99 HOURS 59 MINUTES AND 59 SECONDS (DOUBLE REPEAT)	LIGHT, AUTOMATIC BATTERY SAVE SHUT OFF



Oscillating Weight

Movement of the wearer rotates the oscillating weight.

Rotor

Transforms every movement of the oscillating weight into a magnetic charge.

Rechargeable Long-Life Battery

Stores the generated electrical energy.

Generating Electricity

The natural movement of your body is sensitively transformed into electrical energy.

Storing Electricity

A high performance long-life **rechargeable** battery stores the energy to power the watch.

Utilising Electricity


Advanced electronic circuitry ensures that the energy is converted with optimum efficiency into a quartz signal.

Circuit Block

Controls voltage and amperage. And by quartz oscillation, it produces a precise watch signal.

SEIKO SOLAR

No Battery Change Required





SEIKO. Solar watch experts since 1977

OPERATING INSTRUCTIONS

KINETIC (5M54/62/84)

- Hour, minute and second hands.
- Calendar (Date).
- Day indicator (5M54).
- Automatic Power Generator.
- Energy Depletion Forewarning.
- Overcharge Prevention Function.
- 6 Month Power Storage.



HOW TO START THE WATCH

When using the watch for the first time be sure to charge the Rechargeable Battery sufficiently by swinging the watch from side to side before setting the time and other functions.

1. Swing the watch side to side at a rate of twice per second.
2. After the watch is swung for approx. 2 to 3 minutes, and the second hand begins to move in one-second intervals there is about six hours of power available. It is not necessary to charge the rechargeable battery fully before you wear the watch. While the watch is on your arm, the Automatic Power Generator will ensure constant operation.

Notes: 1. To charge the rechargeable battery efficiently, swing the watch from side to side, making an arc of about 20cm. 2. No additional benefit is obtained by swinging the watch more quickly or with greater vigor. 3. When the watch is swung, the oscillating weight in the generating system rotates to drive the mechanism. As it rotates, it creates a sound: this is not a malfunction.

HOW TO SET TIME

The Seiko Kinetic series of watches are basic analogue and can be set the same as any 2 or 3 hand watch.

1. Pull out the crown to the second click.
2. Turn the crown to set hour and minute hands.
3. Push crown back to normal position.

Notes: 1. When setting the hour hand, check that AM/PM is correctly set. The watch is so designed that the calendar/day changes once in 24 hours. Turn the hands past the 12 o'clock marker to determine whether the watch is set for the AM or PM period. If the calendar/day changes, the time is set for the AM period. If the calendar/day does not change, the time is set for the PM period. 2. When setting the minute hand, advance it 4 to 5 minutes ahead of the desired time and then turn it back to the exact time.

POWER RESERVE INDICATOR


By pressing Button A once when the second hand is in 12 position the watch can indicate how much power is stored in the rechargeable battery.

If the second hand advances to the;

- 1 position the watch has between approximately 1 and 7 days.
- 2 position the watch has between 7 days and 1 month.
- 4 position the watch has between 1 and 4 months.
- 6 position the watch has between 4 and 6 months.

KINETIC GMT (5M85)

- Hour, minute, second, 24-hour hand.
- Calendar (Date).
- Automatic Power Generator.
- Energy Depletion Forewarning.
- Overcharge Prevention Function.
- 6 Month Power Storage.



HOW TO START THE WATCH

1. Swing the watch from side to side.
* Swing rhythmically at a rate of twice a second.
2. Charge the KINETIC E.S.U. sufficiently.
3. Set the time/calendar and put on the watch.

POWER RESERVE INDICATOR

1. Press the button at the 2 o'clock position.

To allow easy reading of the second hand, press the button when the second hand is at the 12 o'clock position.

★ QUICK MOVEMENT OF SECOND HAND	5 seconds	10 seconds	20 seconds	30 seconds
POWER RESERVE	Between 1 and 7 days	Between 7 days and 1 month	Approx. 1 month	Approx. between 4 and 6 months

★ The second hand will resume normal movement after the indicated 5, 10, 20 or 30 seconds have elapsed.

HOW TO SET TIME

When setting the time, ensure that the watch is working: the second hand is moving at one-second intervals.

- In a case that the watch is completely stopped due to a shortage of stored electrical energy, recharge the watch until the second hand resumes the normal one-second interval movement, and then reset the time and calendar.
- The 24-hour hand can be used in two ways. Since the time setting procedure differs according to the usage, please choose the method before setting the time.

Method 1

Simply using the 24-hour hand to show the 24-hour time as an AM/PM indicator.

- This is the standard usage for the 24-hour hand.

Method 2

Using the 24-hour hand to indicate the time in a different time zone.

- For instance, by setting the 24-hour hand to GMT while setting the hour and minute hands to indicate the time in your area, you can easily check GMT with the 24-hour hand at any time.

HOW TO SET THE 24-HOUR HAND AS A REGULAR 24-HOUR INDICATOR

<When method 1 usage is selected>

1. Pull out the crown to the second click.
2. Turn the crown to set the 24-hour and minute hands to the current time.
3. Push the crown back in simultaneously with a time signal.
4. Pull out the crown to the first click.
5. Turn the crown to set the hour hand to the current hour.
6. Push the crown back in upon completion of time setting.

HOW TO SET THE 24-HOUR HAND AS A REGULAR 24-HOUR INDICATOR

<When method 2 usage is selected>

1. Pull out the crown to the second click.
2. Turn the crown to set the 24-hour and minute hands to the time in the "different time zone area" you wish to set.
3. Push the crown back in simultaneously with a time signal.
4. Pull out the crown to the first click.
5. Turn the crown to set the hour hand to the current hour.
6. Push the crown back in upon completion of time setting.

HOW TO SET THE DATE

- This watch is designed so that the date changes one day by turning the hour hand two full rotations in the same way as in "the time difference adjustment function."
- The date advances one day by turning the hour hand two full rotations clockwise, while the date is set back one day by turning the hour hand two full rotations counterclockwise.
- After setting the time, it is necessary to set the date. Manual date adjustment is required on the first day after a month that has less than 31 days.

1. Pull out the crown to the first click.
2. Each time the hour hand makes two full rotations by turning the crown, the date is adjusted one day.
3. After completing the date setting, check the position of the hour hand once again and push the crown back in.


HOW TO ADJUST THE TIME DIFFERENCE

- While staying in a place in a different time zone area from where you live, you can conveniently set the watch to indicate the local time in the place where you are staying without stopping the watch.
 - The time difference adjustment function is interrelated with the date display. If the time difference is correctly adjusted, the watch displays the correct date of the place where you are staying.
1. Pull out the crown to the first click.
 2. Turn the crown to set the hour hand to indicate the time of the place where you are staying. The hour hand is independently set to the current hour.
 3. After completing the time difference adjustment, check the position of the hour hand once again and push the crown back in.

OPERATING INSTRUCTIONS

KINETIC DIRECT DRIVE (5D22)

- Time/Calendar.
- Hour, minute, second hands.
- Date.
- Direct Drive Indicator.
- Power reserve indicator.
- Real-time power indicator.
- Hand winding Capability.
- System reset.



❖ The position of the date window may differ depending on the model.

HOW TO CHARGE AND START THE WATCH

1. Turn the crown clockwise repeatedly to charge the watch.
 2. As electric power is generated by the continues turning of the crown, the Direct Drive indicator hand will moves to point at scale marking 0 and the second hand will start moving.
 3. Continue to turn the crown to sufficiently charge the watch.
- The Direct Drive indicator hand will moves up and down to display the electric power generation status.
 - After charging the watch, the indicator hand will display the amount of power generated by the current manual winding for approximately 4 seconds, and then the hand returns to display the total amount of power reserve.
 - A fully charged watch will keep on operating for approximately 1 month.

HOW TO READ THE DIRECT DRIVE INDICATOR

The direct drive indicator can be used to check:

- Power reserve amount.
- Real-time power generation status and newly generated amount of power while charging the watch.

Power reserve indicator

- The watch checks power reserve in the rechargeable battery and display how long the watch will keep operating in 18 steps.
- If the indicator hands moves to the 0 position, the watch will stop operating within 3 hours. When the watch is stops, the indicator hand moves to the standby position to show that the watch stops operating due to power shortage.

Real-time power indicator

- When turning the crown to charge the watch, the watch checks the newly generated amount of power and display in 19 steps (0-“M+1” scale marking)
- A maximum 6 hours of generated power can be displayed.

HOW TO READ THE DIRECT DRIVE INDICATOR WHILE CHARGING THE WATCH

1. Turn the crown clockwise. After approximately 1 second, the direct drive indicator hands starts moving.
2. Continue to turn the crown. The indicator hand moves upward and downward according to the power generation status. The faster the crown is turned the more power it generates.
3. Stop turning the crown, the direct dive indicator will display the total amount of power generated. After approximately 4 second the direct drive indicator will display the total amount of power reserve.

HOW TO SET TIME

1. Pull the crown out to the second click. When the second hand is at the 12 o'clock position.
2. Turn the crown to set the time.
3. When finish setting the time push the crown back to normal position.

HOW TO SET THE DATE

1. Pull the crown out to the first click.
2. Turn the crown anticlockwise until the current date.

RESETTING THE BUILT-IN IC

When the watch stops operating even through it displays the remainder of the power reserve, follow the instruction below to reset the built-in IC.

1. Pull the crown out to the second click.
2. Press the reset button for 2 seconds or longer using a sharp-pointed tool.
3. Push the crown back into the normal position.
4. Turn the crown to charge the watch at least until the indicator hand points at the second marking above “0”. And then set the time, date, and day of the week.

- After resetting the built-in IC, all the generated/reserve power will be lost.
- The indicator hand will point at 0 position, and the watch resume its normal operation.

■ SCALE TABLE OF POWER RESERVE AMOUNT AND GENERATED POWER AMOUNT

Scale marking	Standby position	0	1	2	3	4	5	6	7	8	9	10	11
Indication on dial		0				12 (12 h)				D (Day)			
Power reserve amount	The watch stops operating.	0	3 H	6 H	9 H	12 H	15 H	18 H	21 H	1 D	2 D	3 D	4 D
Amount of generated power		0	20 Min.	40 Min.	1 H	1 H 20 Min.	1 H 40 Min.	2 H	2 H 20 Min.	2 H 40 Min.	3 H	3 H 20 Min.	3 H 40 Min.

Scale marking	12	13	14	15	16	17	18
Indication on dial	0		W (Week)		12	M (Month)	
Power reserve amount	5 D	6 D	1 W	2 W	3 W	30 D	
Amount of generated power	4 H	4 H 20 Min.	4 H 40 Min.	5 H	5 H 20 Min.	5 H 40 Min.	6 H

H : Hour
D : Day
W : Week
* The minimum amount of power reserve and generated power is described in the table.


AUTOMATIC HAND ALIGNMENT

The position of the indicator hand may move out of alignment in rare cases.

The watch automatically corrects the position of the indicator hand once every 24 hours. While correcting the hand position, the indicator hand may move abnormally, however, this is not a malfunction. After automatic hand alignment is performed, the indicator hand will return to display power reserve amount. When automatic hand alignment starts, the indicator hand moves to the area under the 0 position and vibrates, and then points at the 0 position. After automatic hand alignment is completed, the indicator hand returns to display power reserve amount.

KINETIC DIRECT DRIVE (5D44)


- Time/Calendar.
- Hour, minute, second hands.
- Date, retrograde day indicator.
- Direct Drive Indicator.
- Power reserve indicator.
- Real-time power indicator.
- Crown with Driving Wheel.
- Hand winding Capability.
- System reset.



❖ The position of the date window and day hand may differ depending on the model.

CROWN WITH DRIVING WHEEL

- ❖ Some models may have a crown with a special structure as illustrated below. Refer to the following instructions when operating this type of crown, as it should be operated in a different way from that of ordinary ones.



To pull out the crown, pull out the **A** portion (crown).
To turn the crown, turn the **B** portion (driving wheel).

HOW TO CHARGE AND START THE WATCH

1. Turn the crown clockwise repeatedly to charge the watch.
2. As electric power is generated by the continues turning of the driving wheel, the Direct Drive indicator hand will moves to point at scale marking 0 and the second hand will start moving.
3. Continue to turn the crown to sufficiently charge the watch.
 - The Direct Drive indicator hand will moves up and down to display the electric power generation status.
 - After charging the watch, the indicator hand will display the amount of power generated by the current manual winding for approximately 4 seconds, and then the hand returns to display the total amount of power reserve.
 - A fully charged watch will keep on operating for approximately 1 month.

HOW TO READ THE DIRECT DRIVE INDICATOR

The direct drive indicator can be used to check:

- Power reserve amount.
- Real-time power generation status and newly generated amount of power while charging the watch.

Power reserve indicator

- The watch checks power reserve in the rechargeable battery and display how long the watch will keep operating in 18 steps.
- If the indicator hands moves to the 0 position, the watch will stop operating within 3 hours. When the watch is stops, the indicator hand moves to the standby position to show that the watch stops operating due to power shortage.

Real-time power indicator

- When turning the driving wheel to charge the watch, the watch checks the newly generated amount of power and display in 19 steps (0-“M+1” scale marking).
- A maximum 6 hours of generated power can be displayed.

HOW TO READ THE DIRECT DRIVE INDICATOR WHILE CHARGING THE WATCH

1. Turn the crown clockwise. After approximately 1 second, the direct drive indicator hands starts moving.
2. Continue to turn the crown. The indicator hand moves upward and downward according to the power generation status. The faster the crown is turned the more power it generates.

3. Stop turning the crown, the direct dive indicator will display the total amount of power generated. After approximately 4 second the direct drive indicator will display the total amount of power reserve.

HOW TO SET TIME

1. Pull the crown out to the second click. When the second hand is at the 12 o'clock position.
2. Turn the crown to set the time.
3. When finish setting the time push the crown back to normal position.

HOW TO SET THE DATE AND DAY

1. Pull the crown out to the first click.
2. Turn the crown anticlockwise until the current date.
3. Turn the crown clockwise to set the day hand to point at the correct day of the week.
4. Push the crown back to the normal position.

RESETTING THE BUILT-IN IC

When the watch stops operating even through it displays the remainder of the power reserve, follow the instruction below to reset the built-in IC.

1. Pull the crown out to the second click.
2. Press the reset button for 2 seconds or longer using a sharp-pointed tool.
3. Push the crown back into the normal position.
4. Turn the driving wheel to charge the watch at least until the indicator hand points at the second marking above “0”. And then set the time, date, and day of the week.
 - After resetting the built-in IC, all the generated/reserve power will be lost.
 - The indicator hand will point at 0 position, and the watch resume its normal operation.

AUTOMATIC HAND ALIGNMENT

The position of the indicator hand may move out of alignment in rare cases. The watch automatically corrects the position of the indicator hand once every 24 hours. While correcting the hand position, the indicator hand may move abnormally, however, this is not a malfunction. After automatic hand alignment is performed, the indicator hand will return to display power reserve amount. When automatic hand alignment starts, the indicator hand moves to the area under the 0 position and vibrates, and then points at the 0 position. After automatic hand alignment is completed, the indicator hand returns to display power reserve amount.

■ SCALE TABLE OF POWER RESERVE AMOUNT AND GENERATED POWER AMOUNT

Scale marking	Standby position	0	1	2	3	4	5	6	7	8	9	10	11
Indication on dial	0					12 (12 h)				D (Day)	1 D	2 D	3 D
Power reserve amount	The watch stops operating.	0	3 H	6 H	9 H	12 H	15 H	18 H	21 H				
Amount of generated power		0	20 Min.	40 Min.	1 H	1 H 20 Min.	1 H 40 Min.	2 H	2 H 20 Min.	2 H 40 Min.	3 H	3 H 20 Min.	3 H 40 Min.


Scale marking	12	13	14	15	16	17	18
Indication on dial	0		W (Week)		12	M (Month)	
Power reserve amount	5 D	6 D	1 W	2 W	3 W	30 D	
Amount of generated power	4 H	4 H 20 Min.	4 H 40 Min.	5 H	5 H 20 Min.	5 H 40 Min.	6 H

H : Hour
D : Day
W : Week
* The minimum amount of power reserve and generated power is described in the table.

OPERATING INSTRUCTIONS

KINETIC PERPETUAL (7D46/7D48/7D56)

- Hour, minute and second hands.
- Calendar (Date).
- Automatic Power Generator.
- Automatic Energy Saving Function.
- Time Relay Function.
- Perpetual Calendar.
- Energy Depletion Forewarning Function.
- Overcharge Prevention Function.
- 4 Year Power Storage.



HOW TO START THE WATCH

When using the watch for the first time be sure to charge the Rechargeable Battery sufficiently by swinging the watch from side to side before setting the time and other functions.

1. Swing the watch side to side at a rate of twice per second.
2. After the watch is swung for approximately 500 times, the second hand begins to move in 1 second intervals. A further 200 swings will ensure about 1 day of power available. It is not necessary to charge the rechargeable battery fully before you wear the watch. While the watch is on your arm, the Automatic Power Generator will ensure constant operation.

Note: 1. Wearing the watch continuously for 12 hours will accumulate power to run the watch for approximately one and a half additional days. As a general guideline, if you wear the watch everyday for 12 hours over a period of a week, the power to run the watch for approximately 10 days will be additionally secured. If the watch enters the power save mode, this amount of energy will keep the watch running for approximately one month and a half. 2. No additional benefit is obtained by swinging the watch more quickly or with greater vigor. 3. When the watch is swung, the oscillating weight in the generating system rotates to drive the mechanism. As it rotates, it creates a sound: this is not a malfunction.

AUTOMATIC POWER SAVE FUNCTION

In order to conserve the stored electrical energy, the watch automatically enters Power Save Mode to stop the hands from moving approximately 24 hours after the watch is left untouched. In a case that the fully charged watch enters the power save mode, the Time Relay Function of the watch remains operable for approximately 4 years.

PERPETUAL CALENDAR FUNCTION

Once set, the calendar automatically adjusts for odd and even months including February of leap years until the year 2100. While the watch is in power save mode, the perpetual calendar continues to function (the calendar continues to properly advance).

ENERGY DEPLETION FOREWARNING FUNCTION

When the second hand starts moving in two-second intervals instead of the normal one-second interval, the watch will run down in approximately 12 hours. If the power save function has been turned off by swinging the watch, and the second hand starts to move in two-second intervals, then the power reserve may have been drained to an extremely low level. In either case, charge the watch using the procedure above.

HOW TO SET TIME AND DATE

Because the calendar is pre-adjusted at the factory, you may only need to set the time and date. Pull out the crown out to the second click. The second hand will stop on the spot. Turn the crown to set the time. Remember to check the 24 hour indicator to correctly set AM or PM. To set the time accurately, advance the minute hand 4 to 5 minutes ahead of the correct time, and then turn it back to the exact time.

To adjust the date pull the crown out to the first click. Rotate crown in either way to adjust to the correct date.

Note: Do not pull the crown out to adjust the date/time until the Time Relay Function is complete. This will cause the time data retained inside the watch to be erased, thus disabling the Time Relay Function.

HOW TO DO A COMPLETE CALENDAR ADJUSTMENT


Complete calendar adjustment is only necessary if the watch is completely stopped due to shortage of stored energy. Each calendar item should be adjusted in sequence of year, month and date.

1. Pull out crown to first click.
2. Rotate crown to advance date and month until the correct year is displayed.
Refer to the Leap Year Chart to determine if the current year is a leap year or to determine if it is 1, 2 or 3 years past the last leap year.
3. After setting the watch to the correct year, continue to rotate the crown to set the correct month and then the correct date.
4. Pull crown out to second click to set the correct time
(see How To Set Time And Date).
5. Push crown back to original position.

Note: The date, month and year indicators work independently from the hands of the watch. Advancing the hands will not advance the date, month or year.

CHRONOGRAPH (6T63)

- Hour, Minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 60 minutes in 1/5th of a second increments.



HOW TO START THE WATCH

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).


HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

OPERATING INSTRUCTIONS

CHRONOGRAPH (7T04)

- Hour, minute and small second hands.
- Calendar (Date).
- Stopwatch minute, and 1/5th second hands.
- Stopwatch measures up to 60 minutes in 1/5th of a second increments.
- 24 hour hand



HOW TO SET TIME AND DATE


- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

CHRONOGRAPH (7T11)

- Hour, Minute, seconds hand
- 24 hour hand
- Calendar
- Stopwatch measures 12 hours 1 second increments.



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).


HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

OPERATING INSTRUCTIONS

ALARM CHRONOGRAPH (7T62)

- Hour, minute and small second hands.
- Calendar (Date).
- Stopwatch minute and 1/5th second hands.
- Stopwatch measures up to 60 minutes in 1/5th of a second increments.
- Alarm can be set on a 12 hour basis, or, can be used as a second time zone.



HOW TO SET TIME AND DATE

1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

HOW TO SET ALARM TIME

1. Pull the crown out to the second click position.
2. Press 'B' to set the alarm hour and minute hands to the correct time.
3. Push the crown back to the normal position. Once the time is set, you do not have to adjust again unless there is a change in time (e.g. daylight savings).
4. For a dual time zone adjust hands on any desired time.

HOW TO SET ALARM

1. Pull the crown to the first click position.
2. Press button 'B' to set the alarm hour and minute hands to desired alarm time.
3. Push the crown back to the normal position.

Note: Alarm setting on a 12 hour basis only. Alarm will ring at the designated time for 20 seconds; one time only alarm. The alarm needs to be reset in order to re-engage the alarm function.

HOW TO USE STOPWATCH

The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
Press Button 'A' to start, stop and restart the stopwatch.

- Press Button 'A' to start/stop/restart the stopwatch.
 - Press Button 'B' to split/split release/reset the stopwatch.
- * Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

HOW TO ADJUST HAND POSITION

1. If chronograph hands will not return the 12 o'clock position when the chronograph is reset or when the battery is replaced with a new one, follow the procedure below to reset the hands to the correct position.
2. Pull crown out to the second click.
- Press and hold button 'A'. The stopwatch minute hand will sweep around dial. Press button 'B' to adjust minute hand.
- Press and hold button 'A'. The stopwatch 1/5th of a second hand will sweep around dial. Press button 'B' to adjust 1/5th of a second hand.
3. Push crown back into normal position.


Note: Holding in button 'B' when adjusting the hand position, hands will move faster.

HOW TO USE ALARM DIAL AS DUAL TIME DISPLAY

1. Pull the crown out to the second click position.
2. Press the button "B" to set the hour and minute hands to time of a different time zone.
3. Push the crown back to normal position.

YACHTING TIMER (7T84)

- Time/Calendar.
- Hour, minute and small second hands.
- Date.
- Yacht Timer.
- 5, 6 & 10 minutes preset timers.
- Timer (TMR).
- Can be set to a maximum of 15 minutes in 1-minute increments.
- Stopwatch (CHR).
- Measure up to 12 hours in 1/5 second increments.
- Stopwatch will stop automatically when the measurement reaches 12 hours.
- Alarm (ALM).
- Single time alarm: sounds only once at a designated alarm time within 12 hours.
- Regular alarm: set to sound at a designated time everyday on a 12-hour basis.
- Local Time (LOC).
- A different time zone can be shown in 1-minute increments.



HOW TO CHANGE THE MODE

1. Pull the crown out to the first click.
2. Press button A to set the mode indicator pointing at your desired mode.
3. After selecting the desired mode, push the crown back to normal position.

HOW TO SET TIME ON MAIN DIAL AND SMALL DIAL

1. Pull the crown out to the second click, when the small second hand is at the 12 o'clock position.
2. Turn the crown to set the time of the main dial.
3. Press button B, to set the time for the small dial. With each press of button B the small watch hands will advance 1 minute. Pressing and holding button B will advance the small dial hands rapidly.
4. When finished setting the time, push the crown back to the normal position.

HOW TO SET THE DATE

1. Pull the crown out to the first click.
2. Turn the crown clockwise to set the date. (When setting the date, do not press either button A or B, as pressing either button while the crown is at the first click position can change the mode and the setting in some modes).
3. Push the crown back to the normal position.

HOW TO USE YACHTING TIMER

Yachting timer combines the function of a count down timer and a stopwatch that starts operating automatically when the timer finishes counting down. This function is particularly useful in yacht racing.

- Three pre-set yachting timer modes: 5, 6 and 10 minutes timers.
- Once you activate the yachting timer function, the selected timer will start counting down in 1 second increments.
- The remaining time will be indicated by the centre hand and the small dial will turn clockwise while the yachting time is counting down.
- When the yacht timer count down finishes, the watch will beep indicating time is up and the stopwatch will automatically start.
- The stopwatch can measure up to 12 hours in 1 second increments. When the measurement reaches 12 hours, the stopwatch will stop automatically.
- Only one yacht timer can be used at one time.
- Cannot change the selected timer while it is working. To change the timer, it is necessary to stop the current working timer before changing to another.
- Split time measurement is possible.

1. Pull the crown out to the first click.
2. Press button A, to set the mode indicator to point at the desired yacht timer.
3. Push the crown back to the normal position.
4. Press button A to start the yacht timer.
5. To reset the timer, press button A to stop the timer and press button B to reset.

The centre hand indicates the remaining minutes and the big hand of the small dial indicates the remaining seconds. When the remaining time is shorter than 60 seconds, the center hand also begins to countdown in 1 second increments.

Example: Timer mode display when the timer is set for 4 minutes



- * If you press button B once again after the timer time is set for 15 minutes, the timer time returns to one minute.
- * The set timer time will be retained even if the TIMER mode is changed to another mode.

HOW TO RESET THE YACHT TIMER

To reset the yacht timer, the stopwatch needs to be stopped.

When the stopwatch hands are moving:

1. Press button A to stop the stopwatch.
2. Press button B to reset the yacht timer.

When the stopwatch hands stopped:

1. Press button B to reset the yacht timer.

When the split time measurement is displayed while the stopwatch is measuring.

1. Press button B to release the stopwatch hands. The stopwatch hands return to the ongoing measurement movement.
2. Press button A to stop the stopwatch.
3. Press button B to reset the yacht timer.

When the split time measurement is displayed and the stopwatch is stopped.

1. Press button B to release the stopwatch hands. The stopwatch hands will stop.
2. Press button B to reset the yacht timer.

RESTART SETTING FUNCTION

- Yachting timer mode features a restart setting function, which enable to restart the measurement correctly and easily after an interruption during the stopwatch measurement.
- The restart setting function can be used anytime while the stopwatch is measuring following the yacht timer counting.
- Press button A for approximately 2 seconds will activate the restart setting function.
- Restart of the measurement will be made at regular intervals from the initial start of the measurement.
- The intervals between the initial start of the measurement and the restarts are automatically decided according to the selected yacht timer which had finished its counting before the stopwatch had started.

HOW TO USE THE TIMER

- The timer can set to a maximum of 15 minutes in 1 minute increments.
- The remaining time is indicated by the center hand and the two hands of the small watch.
- When the timer finishes counting down, the watch will beep indicating the time is up.

To set the Timer:

1. Pull the crown out to the first click.
2. Press button A to set the mode indicator pointing at the Timer mode.
3. Press button B to set the center hand to show the desired timer time. With each press of button B, the center hand moves one minute forward, adding one minute to the timer time.
4. Push the crown back to normal position.
- The number on the outer circle of the dial indicated by the centre hand shows the timer time. (The small hand of the small dial also indicates the timer time.)
5. Press Button A to start the timer, press button A to stop and press button B to reset.

HOW TO USE THE STOPWATCH

- The stopwatch can measure up to 12 hours in 1/5 second increments.
- The large second hand measures 1/5 second, the large hand in the small watch measures the minutes and the small hand measures the hour.
- When the measurement reaches 12 hours, the stopwatch will automatically stop.
- Split time measurement.

OPERATING INSTRUCTIONS

YACHTING TIMER (7T84) CONTINUED

1. Pull the crown out to the first click.
2. Press button A to set the mode indicator pointing at the chronograph mode.
3. Push the crown back to its normal position.
4. Press button A to start the stopwatch.
5. Press button A to stop the stopwatch.
6. Press button B to reset the stopwatch.
7. To accumulate elapsed time measurement, press button A to start and press button A to stop, press button A to restart the stopwatch and press button A to stop. Press button B to reset.
8. Split time measurement, press button A to start, press button B to split. Press button B for split release, press button A to stop and press button B again to reset. (Measurement and release of the split times can be repeated as many times as required by pressing button B).
9. Measurement of 2 competitors. Press button A and press button B for the finish time of the 1st competitor, press button A when 2nd competitor finishes. Then press button B for the finish time for 2nd competitor and press button B to reset.

HOW TO SET THE ALARM

Single time alarm

- Single time alarm is set in the Time mode.
 - The alarm will only alert once at a designated time and it is automatically disengaged.
 - The alarm time can be set within 12 hours from the current time in 1 minute increments.
1. Pull the crown out to the first click.
 2. Press button A to set the mode indicator to point at the Time mode.
 3. Press button B to set the alarm, which will show in the small watch. By press button B the small watch hands will advance in 1 minute.
 4. Push the crown to its normal position.
 5. To stop the alarm alert, press either button A or B. The single time alarm will go for 20 seconds.

The single time alarm will only work when it is in Time mode.

To cancel the single time alarm

- Press button B to set the alarm time to current time
- Change the Time mode to another mode.

Regular alarm

- The regular alarm can be set to be alert at a designated time everyday.
 - The regular alarm is set in the Alarm mode.
 - The set alarm time can be used as many times as required.
1. Pull the crown to the first click.
 2. Press button A to set the mode indicator to point at Alarm mode.
 3. Press button B to set the small dial to show the desired regular alarm time.
 4. Push the crown back to the normal position.
 5. To stop the alarm alert, press either button A or B. The regular alarm will go for 20 seconds.

Sound demonstration function (Alarm sound preview)

1. Pull the crown out to first click.
2. Press button A to set the mode indicator pointing at the alarm mode.
3. Push the crown back to the normal position.
4. Press button A for more than 2 seconds. The alarm sound can be heard while button A is kept pressed.

LOCAL TIME

- The small dial can be set to show the time in second time zone.
- Two different times can be shown at the same time using the main dial and the small dial as a dual time display.

HOW TO SET THE LOCAL TIME

1. Pull the crown out to first click.
2. Press button A to set the mode indicator to point at Local time mode.
3. Press button B to set the local time. (The small watch shows the time in another time zone.)
4. Push the crown back to normal position.

NECESSARY PROCEDURE AFTER BATTERY CHANGE

After the battery is replaced with a new one, or when an abnormal display appears, reset the watch build-in IC. The watch will resume its normal operation.

HOW TO RESET THE IC


1. Pull the crown out to the second click.
2. Press button A and B at the same time.
3. Push the crown back to the normal position and check if the hands move as normal.

HAND POSITION ADJUSTMENT

- Hand position adjustment is required when the hands are not correctly aligned for the use in the Stopwatch and Timer functions, or after a battery change or reset of the built-in IC.
1. Pull the crown out to second click.
 2. To adjust the small watch. Press button A for approximately 5 seconds. The small watch hands will start moving.
 3. Press button B to set the small watch hands to 12 o'clock, which is the initial position of the small watch hands.
 4. To adjust the center hand. Press button A the center hand will turn a full circle.
 5. Press button B to set the center hand to the 0 position.
 6. To adjust the mode indicator. Press button A the mode indicator will turn a full circle.
 7. Press button B to set the mode indicator pointing at the Time mode, which is the initial position of the mode indicator. Keep pressing the button B until the mode indicator exactly pointing at the dot marker.
 8. When adjustment is finish, push the crown back to normal position.
 9. After hand adjustment is complete, set the time and date following the instruction on how to set the time.

CHRONOGRAPH PERPETUAL (7T86)

- Time.
- Day/Date indicator.
- Month/Year check on demand.
- Stopwatch measures 24 hours in 1/5th of a second increments.
- Alarm – 24 hour.
- Perpetual Calendar automatically adjusts until Feb 2100.



HOW TO CHANGE MODE

Press Button B to change mode from 'Calendar/Alarm Mode' to 'Stopwatch Mode'.

HOW TO SET TIME AND ALARM DIAL TIME

- 1) Pull crown out to 2nd click when the small second hand is at the 60 second mark. The small second hand will stop immediately.
- 2) Turn the crown to set the main dial time.
- 3) Press button B to set the alarm sub-dial time in 24 hour format. E.g 6pm is 18:00.

HOW TO ADJUST PERPETUAL CALENDAR

- 1) Pull crown out to 1st Click.
- 2) Press button A for 5 seconds – the calendar hand will sweep around the dial.
- 3) Press B to set the date (hand will move quickly if kept pressed).
- 4) Press A once and the day indicator will point to CHR.
- 5) Press B to adjust the day of the week.
- 6) Press A and the calendar hand will point to the month.
- 7) Press B to adjust the month.
- 8) Press A and the calendar hand will point to the leap year indicators.
- 9) Press B to set the year (you must know the number of years elapsed since last leap year).
- 10) Press A to return to Date setting mode.
- 11) Press the crown back to the normal position.

HOW TO USE THE STOPWATCH

- 1) In the normal crown model Press B, and the Day/Mode hand will point to CHR.
- 2) Press Button A to start and stop the stopwatch.
- 3) Press Button B to reset the stopwatch.
- 4) To perform split/lap times Press button B while the stopwatch is running, then B to release the hands to continue with timing.

HOW TO USE THE ALARM


Ensure you have set the time of the alarm dial under the 'HOW TO SET TIME & ALARM DIAL'.

- 1) Pull crown out to first click.
- 2) Press Button B set desired alarm time (keeping button B pressed will make the hands move faster) This dial is a 24 hour dial, so 6pm is 18:00.
- 3) After desired time has been set press the crown back to the normal position. Alarm will sound for 20 seconds at desired time. To turn off alarm press Button A or B. To cancel an alarm set, pull crown out to first click and then press crown back to normal position.

OPERATING INSTRUCTIONS

CHRONOGRAPH (7T92)

- Hour, minute and small second hands. Calendar (Date).
- Stopwatch hour, minute, second and 1/20th second hands.
- Stopwatch measures up to 12 hours in 1/20th of a second increments.



HOW TO SET TIME AND DATE


1. Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
2. Turn crown counter clockwise until the previous day's date appears.
3. Pull crown out to second click position.
4. Turn counter clockwise to advance the hour and minute hands past 12am.
Doing so will advance the date to the current date.
5. Set hour and minute hands to desired time. Ensure you consider AM/PM period.
6. Push crown back in completely. (Ensure you screw crown back in if fitted with this feature.)

HOW TO USE STOPWATCH

- The stopwatch can measure up to 12 hours in 1/20th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
 - Press Button 'B' to split/split release/reset the stopwatch.
- * Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

SOLAR ALARM CHRONOGRAPH (V172)

- Time/calendar.
- 60-Minute stopwatch in 1/5-second increments with split time measurement function.
- Single-time alarm within 12 hours.
- Powered by light energy.
- No battery change required.
- Lasts for 6 months after full charge.
- Energy depletion forewarning function.
- Overcharging prevention function.



MAKING ADJUSTMENTS TO THE WATCH

This watch is designed so that the following adjustments are made with the crown at the second click position:

1. main time setting
2. alarm hand adjustment
3. stopwatch hand position adjustment

Once the crown is pulled out to the second click, be sure to check and adjust 1. and 2. at the same time. If needed, 3. should also be adjusted then.

HOW TO SET TIME

1. Pull out crown to the second click when the second hand is at the 12 o'clock position.
2. Turn the crown to set the hour and minute hands.

HOW TO ADJUST THE ALARM HANDS

2. Press 'B' repeatedly to set the ALARM hands to the time indicated by the main time hands.

HOW TO ADJUST STOPWATCH HAND POSITION

If the STOPWATCH hands are not in the "0" position, follow the procedure below to set them to the "0" position.

1. Press 'A' for 2 seconds.
2. Press 'B' repeatedly to set the STOPWATCH minute hand to the "0" position.
3. Press 'A' for 2 seconds.
4. Press 'B' repeatedly to set the STOPWATCH 1/5-second hand to the "0" position.

HOW TO SET DATE

Before setting the date, be sure to set the main time.

1. Pull the crown out to the first click.
2. Turn the crown clockwise until the desired date appears.
3. Push the crown back into the normal position.

HOW TO USE STOPWATCH

The stopwatch can measure up to 60 minutes in 1/5-second increments. When the measurement reaches 60 minutes, the stopwatch automatically stops.

Split time measurement is available.

Before using the stopwatch, be sure to check that the crown is set at the normal position and that the STOPWATCH hands are reset to the "0" position.

HOW TO RESET STOPWATCH

While the stopwatch hands are moving:

1. Press Button 'A' to stop the stopwatch.
2. Press Button 'B' to reset the stopwatch.

When the stopwatch is stopped:

1. Press Button 'B' to reset the stopwatch.

When the split time measurement is displayed while the stopwatch is measuring:

1. Press Button 'B' to release the split time display. The stopwatch hands move quickly, and then indicate the measurement in progress.

2. Press Button 'A' to stop the stopwatch.
3. Press Button 'B' to reset the stopwatch.

When the split time measurement is displayed and the stopwatch is stopped:

1. Press Button 'B' to release the split time display. The stopwatch hands move quickly, and then stop.
2. Press Button 'B' to reset the stopwatch.

HOW TO SET ALARM

The alarm can be set to ring only once at a designated time within the coming 12 hours.

- The alarm time can be set in one minute increments.
- You can preview the alarm sound by using the sound demonstration function.

Before using the alarm, check that the ALARM hands are adjusted to the current time.

1. Pull the crown out to the first click.
2. Press 'B' repeatedly to set the desired alarm time.
3. Push the crown back into the normal position.

At the designated time the alarm rings for 20 seconds, and it is automatically disengaged as it stops. To stop it manually, press Button A or B.

HOW TO CHARGE AND START THE WATCH

When you start the watch or when the energy in the rechargeable battery is reduced to an extremely low level, charge it sufficiently by exposing the watch to light.

1. Expose the watch to sunlight or strong artificial light.
2. Keep the watch exposed to the light until the second hand moves at 1-second intervals.
3. When the watch is charged after it has completely stopped, set the date and time before wearing the watch.

GUIDELINE OF CHARGING TIME/ACCURACY

Environment/Lightsource (lux)	V172		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		


A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

The above table provides only a general guideline.

OPERATING INSTRUCTIONS

SOLAR CHRONOGRAPH (V175)

- Time/calendar
- 60-Minute stopwatch in 1/5-second increments with split time
- Measurement function
- Powered by light energy
- No battery change required
- Lasts for 6 months after full charge
- Energy depletion forewarning function
- Overcharging prevention function



HOW TO SET TIME AND DATE

- Pull crown out to the first click position (unscrew crown if your watch is fitted with this feature).
- Turn crown counter clockwise until the previous day's date appears.
- Pull crown out to second click position.
- Turn counter clockwise to advance the hour and minute hands past 12am. Doing so will advance the date to the current date.
- Set hour and minute hands to desired time. Ensure you consider AM/PM period.
- Push crown back in completely. (Ensure you screw crown back in if fitted with this feature).

HOW TO USE STOPWATCH

- The stopwatch can measure up to 60 minutes in 1/5th of a second increments.
- Press Button 'A' to start/stop/restart the stopwatch.
- Press Button 'B' to split/split release/reset the stopwatch.
- Do not press Buttons 'A' and 'B' at the same time, or press one of the two buttons while keeping the other pressed.

Environment/Lightsource (lux)	V175		
	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	150	60	-
30W20cm/ Fluorescent light (3000)	33	13	110
Cloudy weather/Sunlight (10000)	9	3.5	30
Fair weather/Sunlight (100000)	2	0.6	5
Expected life per charge from full charge to stoppage	6 months		
Loss/gain (monthly rate)	Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-10 °C to 60 °C		

A: Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

❖ The above table provides only a general guideline.

GUIDELINE OF CHARGING TIME/ACCURACY

The watch operates while charging electricity by converting light received on the dial to electrical energy. It cannot properly operate unless the remaining energy is sufficient. Place or store the watch in a location receiving light etc., to sufficiently charge electricity.

- When the watch is stopped or the second hand starts moving at 2-second intervals, charge the watch by exposing it to light.
- The time required for charging the watch varies depending on the calibres. Check the calibre of your watch engraved on the back cover.
- It is recommended that the watch be charged for as long as the charging time "B" to assure the stable movement of the watch.

ENERGY DEPLETION FOREWARNING FUNCTION

- When the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. The watch remains accurate even while the second hand is moving at 2-second intervals.
- While the second hand is moving at 2-second intervals, the stopwatch cannot be activated.
- If the second hand starts to move at 2-second intervals while the stopwatch is operating, the stopwatch will be automatically stopped and the stopwatch hands will return to the "0" position.
- When this occurs, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in a few days.

TO PREVENT THE ENERGY DEPLETION

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

NOTE ON POWER SUPPLY


- The battery used in this watch is a rechargeable battery, which is different from ordinary silver oxide batteries. Unlike other disposable batteries such as dry-cell batteries or button cells, this rechargeable battery can be used over and over again by repeating the cycles of discharging and recharging.
- The capacity or recharging efficiency of the rechargeable battery may gradually deteriorate for various reasons such as long-term use or usage conditions. Worn or contaminated mechanical parts or degraded oils may also shorten recharging cycles. If the efficiency of the rechargeable battery decreases, it will be necessary to have the watch repaired.

CAUTION

- Do not remove the rechargeable battery yourself. Replacement of the rechargeable battery requires professional knowledge and skill. Please ask a watch retailer for replacement of the rechargeable battery.
- Installation of an ordinary silver oxide battery can generate heat that can cause bursting and ignition.

SOLAR ANALOGUE

- Powered by light energy.
- No battery change required.
- Lasts for 2 to 12 months after full charge (depends on the calibre).
- Energy depletion forewarning function (for cal. V111, V117, V145, V147, V157, V158, V181, V182, V187 only).
- Instant-start function (for cal. V145, V147, V157, V158, V181, V182, V187 only).
- Overcharging prevention function.



HOW TO CHARGE AND START THE WATCH

When you start the watch or when the energy in the rechargeable battery is reduced to an extremely low level, charge it sufficiently by exposing the watch to light.

1. Expose the watch to sunlight or strong artificial light.
2. Keep the watch exposed to the light until the second hand moves at 1-second intervals.
3. When the watch is charged after it has completely stopped, set the date and time before wearing the watch.

HOW TO SET TIME AND DATE

Models with two/three hands:

1. Pull out the crown to the first click.
2. Turn the crown to set the desired time.
3. Push back the crown completely (in accordance with a time signal for a three-hand model.)

Models with date:

1. Pull out the crown to the first click and set the previous date.
2. Pull out the crown to the second click when the second hand is at the 12 o'clock position.
3. Turn the crown until the desired date appears.
4. Turn the crown to set the hour and minute hands to the desired time.
5. Push back the crown completely in accordance with a time signal.

Models with day and date:

1. Pull out the crown to the first click and set the previous day and date.
2. Pull out the crown to the second click when the second hand is at the 12 o'clock position.
3. Turn the crown until the desired day and date appears.
4. Turn the crown to set the hour and minute hands to the desired time.
5. Push back the crown completely in accordance with a time signal.

GUIDELINE OF CHARGING TIME/ACCURACY

Environment/Lightsources (lux)	V110			V111/V117		
	A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
General offices/ Fluorescent light (700)	50	16	140	180	60	-
30W/20cm/ Fluorescent light (3000)	11	3.5	30	35	10	180
Cloudy weather/Sunlight (10000)	3	0.9	8	12	4	60
Fair weather/Sunlight (100000)	1	0.3	2	2	0.5	10
Expected life per charge from full charge to stoppage	5 months			6 months		
Loss/gain (monthly rate)	Less than 20 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)			Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)		
Operational temperature range	-5 °C to 50 °C			-10 °C to 60 °C		

V114/V115/V116			V147/V157/V158			V187		
A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
180	60	-	110	25	-	95	8	100
35	10	180	30	6	120	23	1.6	25
12	4	60	10	2	35	6	0.4	7
2	0.5	10	2	0.4	9	3	0.1	3
12 months			10 months			2 months		
Less than 15 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)								
-10 °C to 60 °C								

V145			V181/V182		
A (minutes)	B (hours)	C (hours)	A (minutes)	B (hours)	C (hours)
50	11	175	75	6	82
10	2	40	18	1.3	20
3	0.5	10	5	0.3	5
1	0.1	3	2	0.1	2.1
6 months			2 months		
Less than 20 seconds when the watch is worn on your wrist at a normal temperature range (5 °C to 35 °C)					
-5 °C to 50 °C					

- A:** Time to charge 1 day of power
B: Time required for steady operation
C: Time required for full charge

The above table provides only a general guideline.

ENERGY DEPLETION FOREWARNING FUNCTION

- If your watch has a second hand, when the energy stored in the rechargeable battery is reduced to an extremely low level, the second hand starts moving at 2-second intervals instead of the normal 1-second intervals. (Some calibres have no such function.) The watch remains accurate even while the second hand is moving at 2-second intervals.
- In that case, recharge the watch as soon as possible by exposing it to light. Otherwise, the watch may stop operating in about 3 days. (For recharging the watch, see "HOW TO CHARGE AND START THE WATCH")


To prevent the energy depletion:

- When wearing the watch, make sure that the watch is not covered by clothing.
- When the watch is not in use, leave it in a bright place as long as possible.

OPERATING INSTRUCTIONS

PERPETUAL CALENDAR (6A32)

- Hour, minute and second hands.
- Calendar (Date).
- Once set, the calendar automatically adjusts for odd and even months including February of leap years up to February 28th 2100.
- Can indicate the year, month and date.



BEFORE USING THE WATCH

Because the calendar is pre-adjusted at the factory, you only need to set the time and date and the calendar will automatically update itself. *Before using the watch, set the time and date.

HOW TO SET TIME AND DATE

1. Pull out the crown out to the second click when the second hand is at the 12 o'clock position.
 2. Turn the crown in either direction to set the time and date.
 3. Push the crown back completely when set to desired time.
- Follow the procedures below to check the calendar and, if necessary, to adjust it.
- Do not check and adjust the calendar between 11pm and 1am. If the calendar is checked and adjusted between these times, the date may not change properly. In such case, first change the time to any time outside this period, and then set the date. After that, move the hands back to the correct time.
 - If the crown is pulled out to the second click while the numeral in the calendar frame is advancing or moving back, the second hand may be misaligned from the 12 o'clock position (initial position).
 - The button and crown operation cannot be made while the numeral in the calendar frame is advancing or moving back. Press the button or turn the crown after then numeral stops.
 - If the watch is left untouched for more than 2 to 3 minutes while checking or adjusting the calendar, the watch will resume normal movement. In such a case, start again from the beginning of the procedures.

- Do not leave the crown at the first or second click when you use the watch, as this will shorten the battery life.

BATTERY LIFE INDICATOR

When the second hand starts moving at two-second intervals instead of the normal one-second interval, replace the battery with a new one as soon as possible. Otherwise, the watch will stop operating in a couple of days. Time accuracy is not affected even if the hands are moving at two-second intervals. While the second hand is moving at two-second intervals, the date will not change. This is not a malfunction.

CHECKING AND ADJUSTMENT OF THE CALENDAR AFTER BATTERY CHANGE

After the battery is replaced, be sure to check that the calendar is correct. If the watch does not indicate the year, month and date correctly adjust the calendar (see 'How To Check And Adjust The Calendar').

HOW TO CHECK AND ADJUST CALENDAR

1) Pull crown out to first click.

2) Zero Matching.
The Second Position
The second hand moves to the initially set zero position which should be exactly at the 12 o'clock. If not, adjust it by turning the crown. Then press the button. The calendar disk also moves to the initially set zero position within this stage.

3) Zero Matching the Calendar Disk.
The calendar disk swings to back and forth for one time to show that you are adjusting the zero position of the calendar disk. The calendar disk should show the initially set zero position which is '1'. If not, adjust it by turning the crown. Then press the button.

4) Adjusting the Date.
The second hand moves to 9 o'clock position to show that you are now adjusting the date. The calendar disk moves to the initially set current date. Adjust it, if necessary, by turning the crown. Then press the button.

5) Adjusting the Month.
The second hand moves to 10 o'clock position to show that you are now adjusting the month. The calendar disk moves to the initially set current month. Adjust it, if necessary, by turning the crown. Then press the button.

6) Adjusting the Year.
The second hand moves to 11 o'clock position to show that you are now adjusting the year. The calendar disk moves to the initially set current year. Adjust it, if necessary, by turning the crown. Then press the button. The calendar displays the last 2 digits of the Christian Era until 2032, it will display 4). Refer year table, then press the button.

7) Completing the Adjustment. The calendar adjustment is completed by pushing the crown back to the normal position.

YEAR TABLE


LAST 1 OR 2 DIGITS OF THE YEAR	NUMBER OF YEARS SINCE THE LAST LEAP YEAR	YEAR	YEAR	YEAR	YEAR
4	Leap Year		2032	2060	2088
5	1 Year	2005	2033	2061	2089
6	2 Year	2006	2034	2062	2090
7	3 Year	2007	2035	2063	2091
8	4 Year (Leap Year)	2008	2036	2064	2092
9	1 Year	2009	2037	2065	2093
10	2 Year	2010	2038	2066	2094
11	3 Year	2011	2039	2067	2095
12	4 Year (Leap Year)	2012	2040	2068	2096
13	1 Year	2013	2041	2069	2097
14	2 Year	2014	2042	2070	2098
15	3 Year	2015	2043	2071	2099
16	4 Year (Leap Year)	2016	2044	2072	
28	4 Year (Leap Year)	2028	2056	2084	
29	1 Year	2029	2057	2085	
30	2 Year	2030	2058	2086	
31	3 Year	2031	2059	2087	

OPERATING INSTRUCTIONS


AUTOMATIC ANALOGUE (4R36/4R38/4R39)

- Hour, Minute, Seconds (24 hour hand for 4R39)
- Calendar, Day Of the Week (4R36)
- Powered by movement or winding the crown

4R35



4R37



CROWN

- | | |
|--------------------------|--|
| a) Normal position | : winding up the mainspring (manual operation) |
| b) First click position | : date setting |
| c) Second click position | : time setting |

HOW TO USE

This watch is an automatic watch equipped with a manual winding mechanism.

- When the watch is worn on the wrist, the motion of the wearer's arm winds the mainspring of the watch.
- If your watch is completely stopped, it is recommended that you manually wind the mainspring by turning the crown.

How to manually wind the mainspring by turning the crown

1. Slowly turn the crown clockwise (in the 12 o'clock direction) to wind the mainspring.
2. Continue to turn the crown until the mainspring is sufficiently wound. The second hand will start moving.
3. Set the time and date before putting the watch on your wrist.

HOW TO SET THE TIME, DAY AND DATE (FOR CAL. 4R36)

- Check that the watch is operating, and then set the time, day and date.
 - The watch is provided with a day and date function and is so designed that the day and date changes once every 24 hours. The date changes around 12 o'clock midnight, and the day around 4:00 a.m. If AM/PM is not properly set, the date will change around 12 o'clock noon, and the day around 4:00 p.m.
1. Pull out the crown to the first click. (The second hand continues moving and the accuracy of the watch is unimpaired.)
 2. The day can be set by turning the crown clockwise.
 3. The date can be set by turning the crown counterclockwise. Turn it until the previous day's date appears.
Ex.) If today is the 5th of the month, first set the date to "4" by turning the crown counterclockwise.
 4. Pull out the crown to the second click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.) Turn the crown to advance the hands until the date changes to the next. The time is now set for the a.m. period. Advance the hands to set the correct time.
 5. Push the crown back in to the normal position in accordance with a time signal.

HOW TO SET THE TIME (FOR CAL. 4R38 AND CAL. 4R39)


1. Pull out the crown to the first click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.)
 2. Turn the crown to set the hour and minute hands to the correct time.
 3. Push the crown back in to the normal position in accordance with a time signal.
- Cal. 4R39 has a 24-hour hand, which moves correspondingly with the hour hand. When setting the time, check that the 24-hour hand is correctly set.

ACCURACY OF MECHANICAL WATCHES

- The accuracy of mechanical watches is indicated by the daily rates of one week or so. (Around 25 seconds per day +/-)
- The accuracy of mechanical watches may not fall within the specified range of time accuracy because of loss/gain changes due to the conditions of use, such as the length of time during which the watch is worn on the wrist, arm movement, whether the mainspring is wound up fully or not, etc.
- The key components in mechanical watches are made of metals which expand or contract depending on temperatures due to metal properties. This exerts an effect on the accuracy of the watches. Mechanical watches tend to lose time at high temperatures while they tend to gain time at low temperatures.
- In order to improve accuracy, it is important to regularly supply energy to the balance that controls the speed of the gears. The driving force of the mainspring that powers mechanical watches varies between when it is fully wound and immediately before it is unwound. As the mainspring unwinds, the force weakens.
Relatively steady accuracy can be obtained by wearing the watch on the wrist frequently for the self-winding type and winding up the mainspring fully everyday at a fixed time to move it regularly for the wind-up mechanical type.
- When affected by external strong magnetism, a mechanical watch may loss/gain time temporarily. The parts of the watch may become magnetized depending on the extent of the effect. In such a case, consult the retailer from whom the watch was purchased since the watch requires repair, including demagnetizing.

AUTOMATIC ANALOGUE (7S26/7S36)

- Hour, Minute, Seconds (24 hour hand for 4R39)
- Calendar, Day Of the Week (4R36)
- Powered by movement or winding the crown



a: Screwed-in position b: Normal position c: First click d: Second click

HOW TO START THE WATCH

To initially start your watch:

Swing it from side to side in a horizontal arc for about 30 seconds. This is an automatic mechanical watch.

** If the watch is worn on the wrist, the mainspring will be wound automatically through normal wrist movement.*

** If the watch is used without being wound up sufficiently, gain or loss of the watch may result. To avoid this, wear the watch for more than 8 hours a day.*

HOW TO SET THE TIME, DAY AND DATE

- Check that the watch is operating, and then set the time, day and date.
 - The watch is provided with a day and date function and is so designed that the day and date changes once every 24 hours. The date changes around 12 o'clock midnight, and the day around 4:00 a.m. If AM/PM is not properly set, the date will change around 12 o'clock noon, and the day around 4:00 p.m.
1. Pull out the crown to the first click. (The second hand continues moving and the accuracy of the watch is unimpaired.)
 2. The day can be set by turning the crown clockwise.
 3. The date can be set by turning the crown counterclockwise. Turn it until the previous day's date appears.
Ex.) If today is the 5th of the month, first set the date to "4" by turning the crown counterclockwise.
 4. Pull out the crown to the second click when the second hand is at the 12 o'clock position. (The second hand stops on the spot.)
Turn the crown to advance the hands until the date changes to the next. The time is now set for the a.m. period. Advance the hands to set the correct time.
 5. Push the crown back in to the normal position in accordance with a time signal.

ACCURACY OF MECHANICAL WATCHES

- The accuracy of mechanical watches is indicated by the daily rates of one week or so. (Around 25 seconds per day +/-)
- The accuracy of mechanical watches may not fall within the specified range of time accuracy because of loss/gain changes due to the conditions of use, such as the length of time during which the watch is worn on the wrist, arm movement, whether the mainspring is wound up fully or not, etc.
- The key components in mechanical watches are made of metals which expand or contract depending on temperatures due to metal properties. This exerts an effect on the accuracy of the watches. Mechanical watches tend to lose time at high temperatures while they tend to gain time at low temperatures.

- In order to improve accuracy, it is important to regularly supply energy to the balance that controls the speed of the gears. The driving force of the mainspring that powers mechanical watches varies between when it is fully wound and immediately before it is unwound. As the mainspring unwinds, the force weakens.

Relatively steady accuracy can be obtained by wearing the watch on the wrist frequently for the self-winding type and winding up the mainspring fully everyday at a fixed time to move it regularly for the wind-up mechanical type.

- When affected by external strong magnetism, a mechanical watch may loss/gain time temporarily. The parts of the watch may become magnetized depending on the extent of the effect. In such a case, consult the retailer from whom the watch was purchased since the watch requires repair, including demagnetizing.

CONTACTS

SERVICE NETWORK FOR WARRANTY REPAIRS

New Zealand

Service Agent for Seiko, Pulsar, Lorus

Watch World

226A Bush Road, Albany,

Auckland NZ 0632

PO Box 100037, North Shore,

New Zealand 0745


Phone: +(649) 415 5668

Fax: +(649) 415 5662

Email: admin@watchworld.co.nz

3 YEAR GUARANTEE

All SEIKO watches and clocks are covered by a 3 year guarantee. The guarantee covers defects in the material and workmanship from the date of purchase. As a SEIKO authorised dealer it is your responsibility to correctly fill in the guarantee with all the information required. The diagram on the right shows where to find the relevant information on the watch caseback.



In the case of incorrectly used guarantees, return them to SEIKO Australia or hand them to your SEIKO Australia Representative for free replacement, otherwise a charge for new guarantees will be applicable.

Global Service Network

SEIKO's dedication to quality extends throughout its service network in all corners of the world, extending the same dedication to excellence and the highest quality service to SEIKO customers everywhere.

For over 100 years SEIKO has stood for quality – in manufacture, design and service. Today, our SEIKO service centres strive to offer the highest standard of after-sales service and ensure lasting consumer satisfaction. In the Oceania Region, SEIKO Australia Pty Ltd has a network of branch offices, service centres and authorised service agents throughout Australia, New Zealand, Papua New Guinea, and the Pacific Islands.

For service, repairs and spare parts enquiries, please phone 0800 734 561 or email service@seiko.com.au





As one of the world's largest watch and clock manufacturers, Seiko gives you greater reliability, guaranteed quality and more choice when considering:

We can specialise our timepieces for corporate businesses or groups for:

- Service Awards
- Incentives & Rewards
- Product Launches
- Promotions
- Gifts for Employees or Clients
- Safety Awards
- Loyalty Programs
- Or any other business occasion.

Specialised Services Include:

- Printing a company logo on the dial of the watch or clock
- Engraving logos or personalised messages on the watch back or clasp
- Customised packaging
- Printing and engraving lead times approx 10 working days
- All products supplied in presentation boxes
- Full Seiko warranty applies to all models

For more information contact the Corporate Sales Department:

Ph: +61 2 9805 4614

Fax: +61 2 9887 3577

Email: corporate@seiko.com.au

Model Number	Page	Price
S23535P	47	\$675.00
S23547J	47	\$199.95
S23569J	47	\$775.00
S23571J	47	\$995.00
S23589J	47	\$145.00
S23593J	47	\$695.00
S23601P	47	\$299.00
S23603P	47	\$340.00
S23605P	47	\$399.00
S23619J	25	\$6,900.00
SFQ830P	46	\$340.00
SGED96P-9	19	\$775.00
SGEG93P	38	\$375.00
SGEH01P	37	\$450.00
SGEH03P	37	\$450.00
SGEH05P	37	\$450.00
SGEH06P	37	\$499.00
SGEH07P	37	\$399.00
SGEH09P	37	\$399.00
SGEH11P	37	\$499.00
SGEH14P	38	\$399.00
SGEH15P	37	\$399.00
SGEH17P	37	\$399.00
SGG480PS	38	\$360.00
SGG715P	38	\$399.00
SGG717P	38	\$399.00
SGG719P	38	\$460.00
SGGA61P	38	\$460.00
SGGA62P	38	\$495.00
SKA371P-2	25	\$825.00
SKA573P	23	\$499.00
SKA582P-9	23	\$599.00
SKA617P	23	\$599.00
SKA641P	23	\$599.00
SKA643P	23	\$699.00
SKX171KS	25	\$695.00
SKY668P	45	\$750.00
SKY670P	45	\$850.00
SMY137P	23	\$499.00
SMY149P	23	\$650.00
SMY151P	23	\$699.00
SMY157P-9	23	\$750.00
SNA02P-9	28	\$825.00
SNAC43P	28	\$775.00
SNAE34P	18	\$999.00
SNAE70P	18	\$1,150.00
SNAF07P	28	\$750.00
SNAF34P	11	\$1,150.00
SNAF37P	11	\$899.00
SNAF39P	16	\$999.00
SNAF41P	16	\$999.00
SNAF45P	28	\$550.00
SNDF39P	29	\$499.00
SNDF43P	29	\$599.00
SNDF87P	29	\$599.00
SNDF89P	29	\$599.00
SNDF91P	29	\$650.00
SNDW56P	16	\$1,300.00
SNDW58P	16	\$1,300.00
SNDW98P	12	\$1,300.00
SNDX54P	12	\$1,150.00
SNDX95P	12	\$1,200.00
SNE087P	31	\$450.00
SNE094P	33	\$475.00
SNE095P	33	\$395.00
SNE095P-2	33	\$399.00

Model Number	Page	Price
SNE098P-9	33	\$475.00
SNE107P-2	25	\$625.00
SNE125P-9	31	\$625.00
SNE161P	31	\$550.00
SNE176P-9	31	\$650.00
SNE177P-9	31	\$699.00
SNE215P	31	\$499.00
SNE216P	31	\$550.00
SNE252P	31	\$599.00
SNE281P	25	\$750.00
SNE291P	31	\$499.00
SNE293P-2	25	\$599.00
SNE342P	32	\$550.00
SNE359P	32	\$450.00
SNE361P	32	\$450.00
SNE363P-2	32	\$450.00
SNE364P	32	\$550.00
SNE366P	32	\$550.00
SNE366P-2	32	\$499.00
SNE368P-9	32	\$550.00
SNE370P-9	32	\$499.00
SNE880P-9	39	\$1,100.00
SNE881P-9	39	\$1,050.00
SNKM87K	36	\$325.00
SNKM92K	36	\$399.00
SNKM94K	36	\$425.00
SNP017P-9	18	\$1,550.00
SNP066P-9	20	\$1,100.00
SNP070P-9	18	\$1,400.00
SNP077P	20	\$999.00
SNP089P	10	\$1,400.00
SNP091P	13	\$1,500.00
SNP094P	13	\$1,500.00
SNP098P	13	\$1,500.00
SNP100P	15	\$1,600.00
SNP101P	15	\$1,600.00
SNP101P-2	15	\$1,500.00
SNP103P	15	\$1,500.00
SNP104P	15	\$1,700.00
SNP105P-9	20	\$1,300.00
SNP108P-9	18	\$1,300.00
SNQ142P	14	\$750.00
SNQ143P	14	\$699.00
SNZE19K	36	\$499.00
SNZE32K	35	\$499.00
SNZG13K	36	\$460.00
SPC098P	29	\$650.00
SPC127P	28	\$550.00
SPC135P	11	\$999.00
SPC137P	11	\$999.00
SPC141P	11	\$999.00
SPC145P	15	\$1,150.00
SPC149P	15	\$1,100.00
SRG009P	13	\$999.00
SRG017P	10	\$1,300.00
SRG019P	10	\$1,300.00
SRG021P	10	\$1,300.00
SRH019P	15	\$1,200.00
SRK027P	45	\$599.00
SRK028P	45	\$650.00
SRKZ64P	14	\$850.00
SRKZ66P	14	\$799.00
SRKZ69P	14	\$699.00
SRN052P	24	\$650.00
SRN054P	24	\$650.00
SRN055P-9	24	\$650.00

Model Number	Page	Price
SRN056P-9	24	\$699.00
SRP551K	36	\$499.00
SRP553K	36	\$499.00
SRP560K	36	\$550.00
SRP575K	36	\$599.00
SRP581K	17	\$899.00
SRW035P	29	\$650.00
SRW037P	29	\$650.00
SRW037P-2	29	\$599.00
SRZ385P	46	\$550.00
SRZ399P	44	\$599.00
SRZ400P	44	\$650.00
SRZ402P	44	\$650.00
SRZ404P	44	\$599.00
SRZ421P	45	\$599.00
SRZ422P	45	\$750.00
SRZ424P	45	\$699.00
SRZ425P	44	\$499.00
SRZ427P	44	\$699.00
SRZ428P	44	\$650.00
SRZ431P	44	\$550.00
SRZ432P	44	\$650.00
SRZ434P	44	\$650.00
SSA213J-2	13	\$999.00
SSA215J	13	\$1,100.00
SSA216J	13	\$1,150.00
SSA231K	35	\$850.00
SSA232K	35	\$899.00
SSA241P-9	20	\$850.00
SSA884J	12	\$1,300.00
SSA885J	12	\$1,150.00
SSB063P	30	\$499.00
SSB087P	30	\$499.00
SSB139P-2	30	\$499.00
SSB143P	30	\$499.00
SSB145P	30	\$499.00
SSC095P	26	\$799.00
SSC138P-9	26	\$850.00
SSC139P-9	26	\$895.00
SSC141P	27	\$695.00
SSC142P	27	\$750.00
SSC143P-9	27	\$795.00
SSC147P	27	\$750.00
SSC193P-9	21	\$750.00
SSC194P-9	21	\$850.00
SSC196P-9	21	\$850.00
SSC197P-9	18	\$850.00
SSC198P-9	18	\$899.00
SSC199P-9	18	\$995.00
SSC218P	21	\$899.00
SSC220P	21	\$899.00
SSC229P-9	27	\$650.00
SSC253P	26	\$799.00
SSC255P	26	\$799.00
SSC257P	26	\$899.00
SSC259P	26	\$750.00
SSC260P	21	\$850.00
SSC261P	17	\$1,300.00
SSC263P	17	\$1,500.00
SSC264P	17	\$1,300.00
SSC265P	21	\$899.00
SSC271P-9	11	\$999.00
SSC273P-9	11	\$899.00
SSC274P-9	11	\$1,150.00
SSC288P	21	\$850.00
SSC290P	18	\$950.00

Model Number	Page	Price
SSC874P-9	39	\$899.00
SSC876P-9	39	\$799.00
SSC890P-9	22	\$1,150.00
SUJG69P	45	\$450.00
SUJG72P	45	\$499.00
SUN015P	10	\$899.00
SUN017P	10	\$899.00
SUN019P	17	\$1,400.00
SUN023P	17	\$1,300.00
SUP084P-9	41	\$599.00
SUP086P-9	41	\$599.00
SUP206P	41	\$575.00
SUP214P	42	\$499.00
SUP216P	42	\$599.00
SUP218P-9	41	\$550.00
SUP220P-9	41	\$599.00
SUP221P-9	41	\$699.00
SUP226P	41	\$595.00
SUP246P-9	41	\$650.00
SUP250P-9	42	\$375.00
SUP252P-9	42	\$375.00
SUP875P-9	34	\$499.00
SUP878P-9	34	\$375.00
SUP880P-9	34	\$375.00
SUP881P-9	34	\$399.00
SUT022P	39	\$525.00
SUT024P	39	\$550.00
SUT122P	39	\$650.00
SUT123P-9	19	\$850.00
SUT124P-9	19	\$999.00
SUT128P	39	\$550.00
SUT142P	39	\$550.00
SUT153P	41	\$499.00
SUT154P	41	\$599.00
SUT156P	41	\$650.00
SUT158P	41	\$599.00
SUT159P	40	\$450.00
SUT162P	40	\$550.00
SUT164P	40	\$550.00
SUT164P-2	40	\$499.00
SUT167P-9	40	\$399.00
SUT168P-9	19	\$799.00
SUT170P-9	22	\$999.00
SUT172P-9	22	\$1,050.00
SUT181P-9	40	\$899.00
SUT182P-9	40	\$1,100.00
SUT184P-9	40	\$1,150.00
SXDA48P-9	19	\$1,295.00
SXDA50P-9	19	\$725.00
SXDE06P	19	\$799.00
SXDF44P	14	\$699.00
SXDF50P	16	\$1,100.00
SXDF52P	16	\$1,150.00
SXDF64P	44	\$550.00
SXDG04P	14	\$899.00
SXDG17P	43	\$450.00
SXDG20P	43	\$499.00
SXDG21P	43	\$399.00
SXDG25P	43	\$399.00
SXDG32P	43	\$399.00
SXDG33P	43	\$399.00
SXGP22P	44	\$550.00
SZZC40P-9	46	\$499.00

SEIKO

Sales orders & enquiries:
nzsales@seiko.co.nz

For sales enquiries within New Zealand
please phone 0800 734 561.

NEW ZEALAND

226A Bush Road
Albany
New Zealand 0632
PO Box 100037
North Shore Mail Centre
Auckland 0745
Ph: +64 (9) 415 5668
Fax: +64 (9) 415 5661

TRADE PRACTICES ACT 1974

Resale Price maintenance (S48 SS96 100). The prices shown in this catalogue are recommended retail prices as at 1st July 2014 and there is no obligation to comply with the recommendation. All prices are in New Zealand dollars and all prices include GST. All prices are subject to change without notice.
Seiko Australia Pty Ltd (ABN 63 000 797 946). SCATPCNZ0714